

Formal description of segments

Segment: **UNA** cons. No 1 Level: 0 Service string advice
Status: M Max. Occ.: 1

Description: UNA

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
UNA		M	UNA		
UNA1	Component data element separator	M an1	:		
UNA2	Data element separator	M an1	+		
UNA3	Decimal notation	M an1	.		
UNA4	Release indicator	M an1	?		
UNA5	Reserved for future use	M an1			
UNA6	Segment terminator	M an1	'		

Comments:
The delimiters for the entire transmission file will be defined.

Code values:
UNA:+.? '

Formal description of segments

Segment: **UNB** cons. No2 Level: 0 Interchange header
Status: M Max. Occ.: 1

Description: UNB

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
UNB		M	UNB		
S001	Syntax identifier	M			
0001	Syntax identifier	M a4	+UNOC	UNOC UN/ECE level C Character set C (digits 0 to 9, all letters including language specific letters) UTF8 UTF-8 Character set	
0002	Syntax version number	M n1	:1	3 Syntax version number 3 4 Syntax version number 4	
S002	Interchange sender	M			
0004	Sender identification	M an..35	+SELLER001		
S003	Interchange recipient	M			
0010	Recipient identification	M an..35	+BUYER001		
0007	Partner identification code qualifier	N	:		
0014	Routing address	C an..14	: ReverseRouting		
S004	Date/time of preparation	M			
0017	Date of preparation	M n6	+030520	Creation date from WebEDI	
0019	Time of preparation	M n4	:1245		
0020	Interchange control reference	M an..14	+0471104812	The reference number is composed of the last five-digit transmission number and the new five-digit transmission number i.e. old transmission number: 04711 new transmission number: 04812 Please note that the application does not check the sequence of the data on the basis of the interchange control reference.	
S005	Recipient's reference, password	N			
0022	Recipient's reference/password	N	+		
0026	Application reference	N	+		
0029	Processing priority code	N	+		
0031	Acknowledgement request	N	+		
0032	Communications agreement ID	N	+		
0035	Test indicator	C n1	+1'	1 Interchange is a test If interchange is productive, field must be empty.	

Comments:

Please note that the ISO specification defines specific characters (e. g. 0x01...0x1F) as invalid for any alpha-numeric field in this EDifact message.

Code values:

Formal description of segments

UNB+UNOC:1+SELLER001+BUYER001::ReverseRouting+030520:1245+0471104812+++++1'

Formal description of segments

Segment: **UNH** cons. No3 Level: 0 **Message header**
Status: M Max. Occ.: 1

Description: UNH

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
UNH		M			
0062	Message reference number	M an..14	+1	Specifies unequivocally the message reference of the sender Consecutive number of the message within the data interchange	
S009	Message identifier	M			
0065	Message type	M an..6	+ORDRSP	Specifying the message type ID. ORDRSP Purchase order response message	
0052	Message version number	M an..3	:D	Specifying the version of the message type. D Draft version/UN/EDIFACT Directory	
0054	Message release number	M an..3	:99B	Specifying the version of the message directory. 99B Release 1999 - B	
0051	Controlling agency	M an..2	:UN'	Identification of the organization that administrates this message type. UN UN/ECE/TRADE/WP.4, United Nations Standard Messages (UNSM)	

Comments:

Code values:

UNH+1+ORDRSP:D:99B:UN'

Formal description of segments

Segment: **BGM** cons. No4 Level: 0 **Beginning of message**
Status: M Max. Occ.: 1

Description: **BGM**

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
BGM		M	BGM		
C002	Document/message name	C			
1001	Document name code	M an..3	+320	320 Purchase order response or Demand Reminder response 241 Delivery schedule 242 Delivery just-in-time 236 Delivery forecast	
1131	Code list identification code	C an..4	:NB	Order type no restriction, free selectable Information is taken from purchase order message	
3055	Code list responsible agency code	N	:		
1000	Document name	C an..35	:Order response	Value depends on type of order response Demand_Reminder_Response (for Demand Reminder) ORDRSP (for "normal" order response and drop shipment) DELRSP (for response based on a DELFOR Message)	
C106	Document/message identification	C			
1004	Document/message number	R an..15	+101119770720	15-digit unique ordernumber of the customer	Header Tab: Order No. Order number larger than 15 characters is only supported in agreement with SupplyOn consulting (only new ASN and new invoice process are supported!).
1225	Message function code	D an..3	+29'	Special use case "Drop Shipment" only Order Response header status code 12 Not processed 29 Accepted without amendment 52 Proposed amendment	

Comments:

Code values:

BGM+320:NB::Order response+101119770720+29'

Formal description of segments

Segment: **DTM** cons. No5 Level: 1 **Date/time/period**
Status: M Max. Occ.: 1

Description: DTM

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
DTM		M	DTM		
C507	Date/time/period	M			
2005	Date/time/period function code qualifier	M an..3	+137	137 Document/message date/time	
2380	Date/time/period value	R n..8	:20030520	Transmission date	Positions Tab: Confirmed
2379	Date/time/period format code	C an..3	:102'	102 JJJJMMTT	

Comments:

Code values:

DTM+137:20030520:102'

Formal description of segments

Segment: **FTX** cons. No6 Level: 1 **Free text**
Status: C Max. Occ.: 1

Description: FTX

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
FTX		C	FTX		
4451	Text subject code qualifier	M an..3	+ADU	ADU Note	
4453	Text function, coded	N	+		
C107	Text reference	N			
4441	Free text value code	N	+		
C108	Text literal	C			
4440	Free text value	M an..512	+Any text defined by the sender	Specification of the respective corporate-identity text of the WebEDI-provider.	Header Tab: Corporate Footer
4440	Free text value	C an..512	: Continuation text 2		Header Tab: Corporate Footer
4440	Free text value	C an..512	: Continuation text 3		Header Tab: Corporate Footer
4440	Free text value	C an..512	: Continuation text 4		Header Tab: Corporate Footer
4440	Free text value	C an..512	: Continuation text 5'		Header Tab: Corporate Footer

Comments:

Code values:

FTX+ADU+++Any text defined by the sender:Continuation text 2:Continuation text 3:Continuation text 4:Continuation text 5'

Formal description of segments

Segment: **FTX** cons. No7 Level: 1 **Free text**
Status: C Max. Occ.: 1

Description: FTX

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
FTX		C	FTX		
4451	Text subject code qualifier	M an..3	+ACB	ACB Additional information	
4453	Text function, coded	N	+		
C107	Text reference	N			
4441	Free text value code	N	+		
C108	Text literal	C			
4440	Free text value	M an..512	+Free text orders	Free text for order.	Header Tab: Free Text
4440	Free text value	C an..512	: Continuation text 2		Header Tab: Free Text
4440	Free text value	C an..512	: Continuation text 3		Header Tab: Free Text
4440	Free text value	C an..512	: Continuation text 4		Header Tab: Free Text
4440	Free text value	C an..512	: Continuation text 5'		Header Tab: Free Text

Comments:

Code values:

FTX+ACB+++Free text orders:Continuation text 2:Continuation text 3:Continuation text 4:Continuation text 5'

Formal description of segments

Segment: **FTX** cons. No8 Level: 1 **Free text**
Status: C Max. Occ.: 1

Description: FTX

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
FTX		C	FTX		
4451	Text subject code qualifier	M an..3	+AAI	AAI General information	
4453	Text function, coded	N	+		
C107	Text reference	N			
4441	Free text value code	N	+		
C108	Text literal	C			
4440	Free text value	M an..512	+Header information	Header Note	Header Tab: Header Note
4440	Free text value	C an..512	: Continuation text 2		Header Tab: Header Note
4440	Free text value	C an..512	: Continuation text 3		Header Tab: Header Note
4440	Free text value	C an..512	: Continuation text 4		
4440	Free text value	C an..512	: Continuation text 5'		

Comments:

Code values:

FTX+AAI+++Header information:Continuation text 2:Continuation text 3:Continuation text 4:Continuation text 5'

Formal description of segments

Segment: **FTX** cons. No9 Level: 1 **Free text**
Status: C Max. Occ.: 1

Description: FTX

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
FTX		C	FTX		
4451	Text subject code qualifier	M an..3	+AAK	AAK Price conditions	
4453	Text function, coded	N	+		
C107	Text reference	N			
4441	Free text value code	N	+		
C108	Text literal	C			
4440	Free text value	M an..512	+Price conditions	Price type	Header Tab: Price Mode
4440	Free text value	C an..512	: Continuation text 2		Header Tab: Price Mode
4440	Free text value	C an..512	: Continuation text 3		Header Tab: Price Mode
4440	Free text value	C an..512	: Continuation text 4		
4440	Free text value	C an..512	: Continuation text 5'		

Comments:

Code values:

FTX+AAK+++Price conditions:Continuation text 2:Continuation text 3:Continuation text 4:Continuation text 5'

Formal description of segments

Segment: **FTX** cons. No 10 Level: 1 Free text
Status: C Max. Occ.: 1

Description: FTX

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
FTX		C	FTX		
4451	Text subject code qualifier	M an..3	+ZZZ	ZZZ Mutually defined	
4453	Text function, coded	N	+		
C107	Text reference	N			
4441	Free text value code	N	+		
C108	Text literal	C			
4440	Free text value	M an..512	+Dates	Schedules	Header Tab: Dates
4440	Free text value	C an..512	: Continuation text 2		Header Tab: Dates
4440	Free text value	C an..512	: Continuation text 3		Header Tab: Dates
4440	Free text value	C an..512	: Continuation text 4		
4440	Free text value	C an..512	: Continuation text 5'		

Comments:

Code values:

FTX+ZZZ+++Dates:Continuation text 2:Continuation text 3:Continuation text 4:Continuation text 5'

Formal description of segments

Segment: **FTX** cons. No 11 Level: 1 **Free text**
Status: C Max. Occ.: 1

Description: FTX

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
FTX		C	FTX		
4451	Text subject code qualifier	M an..3	+AAB	AAB Terms of payment	
4453	Text function, coded	N	+		
C107	Text reference	N			
4441	Free text value code	N	+		
C108	Text literal	C			
4440	Free text value	M an..512	+Payment Terms	Specification of the terms of payment.	Tab "Header Details", Text information, Terms of payment
4440	Free text value	C an..512	: Continuation text 2		Tab "Header Details", Text information, Terms of payment
4440	Free text value	C an..512	: Continuation text 3		Tab "Header Details", Text information, Terms of payment
4440	Free text value	C an..512	: Continuation text 4		Tab "Header Details", Text information, Terms of payment
4440	Free text value	C an..512	: Continuation text 5'		Tab "Header Details", Text information, Terms of payment

Comments:

Code values:

FTX+AAB+++Payment Terms:Continuation text 2:Continuation text 3:Continuation text 4:Continuation text 5'

Formal description of segments

Segment: **FTX** cons. No 12 Level: 1 **Free text**
Status: C Max. Occ.: 1

Description: FTX

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
FTX		C	FTX		
4451	Text subject code qualifier	M an..3	+AAR	AAR Terms of delivery	
4453	Text function, coded	N	+		
C107	Text reference	N			
4441	Free text value code	N	+		
C108	Text literal	C			
4440	Free text value	M an..512	+Delivery Terms	Specification of the terms of delivery.	Header Tab: Delivery Terms
4440	Free text value	C an..512	: Continuation text 2		Header Tab: Delivery Terms
4440	Free text value	C an..512	: Continuation text 3		Header Tab: Delivery Terms
4440	Free text value	C an..512	: Continuation text 4		
4440	Free text value	C an..512	: Continuation text 5'		

Comments:

Code values:

FTX+AAR+++Delivery Terms:Continuation text 2:Continuation text 3:Continuation text 4:Continuation text 5'

Formal description of segments

Segment: **FTX** cons. No 13 Level: 1 **Free text**
Status: C Max. Occ.: 1

Description: FTX

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
FTX		C	FTX		
4451	Text subject code qualifier	M an..3	+DIN	DIN Delivery instructions	
4453	Text function, coded	N	+		
C107	Text reference	N			
4441	Free text value code	N	+		
C108	Text literal	C			
4440	Free text value	M an..512	+Shipping Instructions	Specification of delivery instructions.	Header tab: Shipping Instructions
4440	Free text value	C an..512	: Continuation text 2		Header tab: Shipping Instructions
4440	Free text value	C an..512	: Continuation text 3		Header tab: Shipping Instructions
4440	Free text value	C an..512	: Continuation text 4		
4440	Free text value	C an..512	: Continuation text 5'		

Comments:

Code values:

FTX+DIN+++Shipping Instructions:Continuation text 2:Continuation text 3:Continuation text 4:Continuation text 5'

Formal description of segments

Segment: **FTX** cons. No 14 Level: 1 **Free text**
Status: C Max. Occ.: 1

Description: FTX

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
FTX		C	FTX		
4451	Text subject code qualifier	M an..3	+CCI	CCI Customs Clearance	
4453	Text function, coded	N	+		
C107	Text reference	N			
4441	Free text value code	N	+		
C108	Text literal	C			
4440	Free text value	M an..512	+Customs Clearance	Customs Clearance	Header Tab: Customs Clearance
4440	Free text value	C an..512	: Continuation text 2		Header Tab: Customs Clearance
4440	Free text value	C an..512	: Continuation text 3		Header Tab: Customs Clearance
4440	Free text value	C an..512	: Continuation text 4		
4440	Free text value	C an..512	: Continuation text 5'		

Comments:

Code values:

FTX+CCI+++Customs Clearance:Continuation text 2:Continuation text 3:Continuation text 4:Continuation text 5'

Formal description of segments

Segment: **FTX** cons. No 15 Level: 1 **Free text**
 Status: C Max. Occ.: 1

Description: FTX

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
FTX		C	FTX		
4451	Text subject code qualifier	M an..3	+IIN	IIN Insurance instructions	
4453	Text function, coded	N	+		
C107	Text reference	N			
4441	Free text value code	N	+		
C108	Text literal	C			
4440	Free text value	M an..512	+Insurance	Insurance	Header Tab: Insurance
4440	Free text value	C an..512	: Continuation text 2		Header Tab: Insurance
4440	Free text value	C an..512	: Continuation text 3		Header Tab: Insurance
4440	Free text value	C an..512	: Continuation text 4		
4440	Free text value	C an..512	: Continuation text 5'		

Comments:

Code values:

FTX+IIN+++Insurance:Continuation text 2:Continuation text 3:Continuation text 4:Continuation text 5'

Formal description of segments

Segment: **FTX** cons. No 16 Level: 1 **Free text**
 Status: C Max. Occ.: 1

Description: FTX

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
FTX		C	FTX		
4451	Text subject code qualifier	M an..3	+SIN	SIN Special instructions	
4453	Text function, coded	N	+		
C107	Text reference	N			
4441	Free text value code	N	+		
C108	Text literal	C			
4440	Free text value	M an..512	+Additional Agreement	Additional Agreement	Header Tab: Additional Agreement
4440	Free text value	C an..512	: Continuation text 2		Header Tab: Additional Agreement
4440	Free text value	C an..512	: Continuation text 3		Header Tab: Additional Agreement
4440	Free text value	C an..512	: Continuation text 4		
4440	Free text value	C an..512	: Continuation text 5'		

Comments:

Code values:

FTX+SIN+++Additional Agreement:Continuation text 2:Continuation text 3:Continuation text 4:Continuation text 5'

Formal description of segments

Segment: **FTX** cons. No 17 Level: 1 **Free text**
 Status: C Max. Occ.: 1

Description: FTX

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
FTX		C	Requested Documents		
4451	Text subject code qualifier	M an..3	+ABX	ABX Requested Documents	
4453	Text function, coded	N	+		
C107	Text reference	N			
4441	Free text value code	N	+		
C108	Text literal	C			
4440	Free text value	M an..35	+Document Code'	Customer document code	Header Tab: Requested Documents

Comments:

Code values:

FTX+ABX+++Document Code'

Formal description of segments

Segment: **FTX** cons. No 18 Level: 1 **Free text**
 Status: C Max. Occ.: 1

Description: FTX

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
FTX		C			
4451	Text subject code qualifier	M an..3	+FRA	FRA Incoterms	
4453	Text function, coded	N	+		
C107	Text reference	C			
4441	Free text value code	C an..17	+DPU		
C108	Text literal	C			
4440	Free text value	M an..35	+Delivered at place unloaded'		

Comments:

Code values:

FTX+FRA++DPU+Delivered at place unloaded'

Formal description of segments

Group: **SG1** Status: C Max. Occ.: 1 RFF

Segment: **RFF** cons. No 19 Level: 1 **Reference**
 Status: M Max. Occ.: 1

Description: RFF

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
RFF		M	RFF		
C506	Reference	M			
1153	Reference function code qualifier	M an..3	+BN	BN Number of entry	
1154	Reference identifier	C an..10	:100245'	Specification of the company code	Header Tab: Company Code

Comments:

Code values:

RFF+BN:100245'

Formal description of segments

Group: **SG1** Status: D Max. Occ.: 1 RFF

Special use case "Drop Shipment" only

Segment: **RFF** cons. No20 Level: 1 **Reference**
Status: M Max. Occ.: 1

Description: RFF

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
RFF		M	RFF		
C506	Reference	M			
1153	Reference function code qualifier	M an..3	+ON	ON Order number (purchase)	
1154	Reference identifier	C an..12	: 101119770 720'	BA number	Header Tab: Order No.

Comments:

Special use case "Drop Shipment" only

Code values:

RFF+ON:101119770720'

Formal description of segments

Group:	SG3	Status: R	Max. Occ.: 1	NAD-SG4-SG6
Segment:	NAD	cons. No21 Status: M	Level: 1 Max. Occ.: 1	Name and address (Buyer)

Description: NAD

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
NAD		M	NAD		
3035	Party function code qualifier	M an..3	+BY	BY Buyer	
C082	Party identification details	R			
3039	Party identifier	M an..20	+00700800	Client number	Buyer Tab: Contact Customer => Buyer No
1131	Code list identification code	N	:		
3055	Code list responsible agency code	R an..3	:91	91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent	
C058	Name and address	R			
3124	Name and address line	M an..5	+Buy01	SupplyOn's organization code	Not visible in UI
3124	Name and address line	R an..35	:Buyer GmbH	Description for selection list	Not visible in UI
C080	Party name	R			
3036	Party name	M an..35	+Buyer GmbH & Co. KG	Customer's company name	Buyer Tab: Buyer Address
3036	Party name	C an..35	:Buyer Name2	Customer's company name2	Buyer Tab: Buyer Address
3036	Party name	C an..35	:Buyer Name3	Customer's company name3	Buyer Tab: Buyer Address
3036	Party name	C an..35	:Buyer Name4	Customer's company name4	Buyer Tab: Buyer Address
C059	Street	R			
3042	Street and number/p.o. box	M an..35	+Burgweg 341	Customer address	Buyer Tab: Buyer Address
3164	City name	R an..35	+Hamburg		Buyer Tab: Buyer Address
C819	Country sub-entity details	C			
3229	Country sub-entity name code	C an..9	+		Buyer Tab: Buyer Address
3251	Postal identification code	C an..17	+12366		Buyer Tab: Buyer Address
3207	Country name code	C an..3	+DE'	DE GERMANY	Buyer Tab: Buyer Address

Comments:

Code values:

NAD+BY+00700800::91+Buy01:Buyer GmbH+Buyer GmbH & Co. KG:Buyer Name2:Buyer Name3:Buyer Name4+Burgweg 341+Hamburg++12366+DE'

Formal description of segments

Group: **SG3** Status: R Max. Occ.: 1 NAD-SG4-SG6

Group: **SG4** Status: C Max. Occ.: 1 RFF

Segment: **RFF** cons. No22 Level: 2 **Reference**
Status: M Max. Occ.: 1

Description: RFF

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
RFF		M	RFF		
C506	Reference	M			
1153	Reference function code qualifier	M an..3	+VA	VA Value added tax identification number	
1154	Reference identifier	R an..20	: 001002003'	Value added tax identification number of the customer	Buyer Tab: Contact Customer => VAT No.

Comments:

Code values:

RFF+VA:001002003'

Formal description of segments

Group:	SG3	Status: R	Max. Occ.: 1	NAD-SG4-SG6
Group:	SG4	Status: C	Max. Occ.: 1	RFF
Segment:	RFF	cons. No23 Status: M	Level: 2 Max. Occ.: 1	Reference

Description: RFF

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
RFF		M	RFF		
C506	Reference	M			
1153	Reference function code qualifier	M an..3	+ARB	ARB Prior Data Universal Number System (DUNS) number	
1154	Reference identifier	R an..14	: 006005004'	DUNS-Number of the customer	Buyer Tab: Contact Customer => DUNS

Comments:

Code values:

RFF+ARB:006005004'

Formal description of segments

Group:	SG3	Status: R	Max. Occ.: 1	NAD-SG4-SG6
Group:	SG6	Status: C	Max. Occ.: 1	CTA-COM
Segment:	CTA	cons. No24 Status: M	Level: 2 Max. Occ.: 1	Contact information

Description: CTA

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
CTA		M	CTA		
3139	Contact function code	R an..3	+DL	DL Delivery contact	
C056	Department or employee details	C			
3413	Department or employee identification	C an..35	+Purchasing	Department	Buyer Tab: Contact Customer => Department
3412	Department or employee	C an..35	:Konrad Meier'	Name of contact person	Buyer Tab: Contact Customer => Contact

Comments:

Code values:

CTA+DL+Purchasing:Konrad Meier'

Formal description of segments

Group:	SG3	Status: R	Max. Occ.: 1	NAD-SG4-SG6
Group:	SG6	Status: C	Max. Occ.: 1	CTA-COM
Segment:	COM	cons. No25 Status: C	Level: 3 Max. Occ.: 1	Communication contact

Description: COM

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
COM		C	COM		
C076	Communication contact	M			
3148	Communication number	M an..30	+040195588784	phonenummer contact person	Buyer Tab: Contact Customer => phone
3155	Communication number code qualifier	M an..3	:TE'	TE phone	

Comments:

Code values:

COM+040195588784:TE'

Formal description of segments

Group:	SG3	Status: R	Max. Occ.: 1	NAD-SG4-SG6
Group:	SG6	Status: C	Max. Occ.: 1	CTA-COM
Segment:	COM	cons. No26 Status: C	Level: 3 Max. Occ.: 1	Communication contact

Description: COM

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
COM		C	COM		
C076	Communication contact	M			
3148	Communication number	M an..30	+04019558 8794	Fax-No customer	Buyer Tab: Contact Customer => Fax
3155	Communication number code qualifier	M an..3	:FX'	FX Telefax	

Comments:

Code values:

COM+040195588794:FX'

Formal description of segments

Group:	SG3	Status: R	Max. Occ.: 1	NAD-SG4-SG6
Group:	SG6	Status: C	Max. Occ.: 1	CTA-COM
Segment:	COM	cons. No27 Status: C	Level: 3 Max. Occ.: 1	Communication contact

Description: COM

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
COM		C	COM		
C076	Communication contact	M			
3148	Communication number	M an..50	+K. Meier@buy er.de	Customer's email address	Buyer Tab: Contact Customer => E-Mail
3155	Communication number code qualifier	M an..3	:EM'	EM eMAIL	

Comments:

Code values:

COM+K.Meier@buyer.de:EM'

Formal description of segments

Group:	SG3	Status: D	Max. Occ.: 1	NAD-LOC-SG4-SG6
Segment:	NAD	cons. No28 Status: M	Level: 1 Max. Occ.: 1	Name and address (consignee)

Description: NAD

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
NAD		M	NAD		
3035	Party function code qualifier	M an..3	+CN	CN	Consignee
C082	Party identification details	R			
3039	Party identifier	M an..20	+00700899	Number of customer' plant	Buyer Tab: Contact Consignee => Plant No.
1131	Code list identification code	N	:		
3055	Code list responsible agency code	R an..3	:92	92	Assigned by buyer or buyer's agent
C058	Name and address	N			
3124	Name and address line	N	+		
C080	Party name	R			
3036	Party name	M an..35	+Consignee GmbH & Co. KG	Name consignee	Buyer Tab: Consignee
3036	Party name	C an..35	:Consignee Name2	Name2 consignee	Buyer Tab: Consignee
3036	Party name	C an..35	:Consignee Name3	Name3 consignee	Buyer Tab: Consignee
3036	Party name	C an..35	:Consignee Name4	Name4 consignee	Buyer Tab: Consignee
C059	Street	R			
3042	Street and number/p.o. box	M an..35	+Burgweg 341	Consignee's address	Buyer Tab: Consignee
3164	City name	R an..35	+Hamburg		Buyer Tab: Consignee
C819	Country sub-entity details	C			
3229	Country sub-entity name code	C an..9	+		Buyer Tab: Consignee
3251	Postal identification code	C an..17	+12366		Buyer Tab: Consignee
3207	Country name code	C an..3	+DE'	DE	GERMANY Buyer Tab: Consignee

Comments:

This NAD-Segment is only allowed if there is no further NAD-Segment on position-level with an existing qualifier CN. In the case of this, on every position there has to be an NAD-segement with an existing qualifier CN.

Code values:

NAD+CN+00700899::92++Consignee GmbH & Co. KG:Consignee Name2:Consignee Name3:Consignee Name4+Burgweg 341+Hamburg++12366+DE'

Formal description of segments

Group: **SG3** Status: D Max. Occ.: 1 NAD-LOC-SG4-SG6

Segment: **LOC** cons. No29 Level: 2 **Place/location identification**
 Status: C Max. Occ.: 1

Description: LOC

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
LOC		C	LOC		
3227	Location function code qualifier	M an..3	+11	11 Dock	
C517	Location identification	R			
3225	Location name code	R an..20	+DOCK13'	Unloading Point	Buyer Tab: Contact Consignee => Unloading Point

Comments:

Code values:
 LOC+11+DOCK13'

Formal description of segments

Group: **SG3** Status: D Max. Occ.: 1 NAD-LOC-SG4-SG6

Segment: **LOC** cons. No30 Level: 2 **Place/location identification**
 Status: C Max. Occ.: 1

Description: LOC

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
LOC		C	LOC		
3227	Location function code qualifier	M an..3	+18	18 Warehouse	
C517	Location identification	R			
3225	Location name code	R an..20	+Warehous e14'		Buyer Tab: Contact Consignee => Warehouse

Comments:

Code values:
 LOC+18+Warehouse14'

Formal description of segments

Group:	SG3	Status: D	Max. Occ.: 1	NAD-LOC-SG4-SG6
Segment:	LOC	cons. No31 Status: C	Level: 2 Max. Occ.: 1	Place/location identification

Description: LOC

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
LOC		C	LOC		
3227	Location function code qualifier	M an..3	+159	159 Consumption place	
C517	Location identification	R			
3225	Location name code	R an..20	+PointOfConsumption15'		Buyer Tab: Contact Consignee => Point of Consumption

Comments:

Code values:

LOC+159+PointOfConsumption15'

Formal description of segments

Group: **SG3** Status: D Max. Occ.: 1 NAD-LOC-SG4-SG6

Group: **SG4** Status: C Max. Occ.: 1 RFF

Segment: **RFF** cons. No32 Level: 2 **Reference**
 Status: M Max. Occ.: 1

Description: RFF

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
RFF		M	RFF		
C506	Reference	M			
1153	Reference function code qualifier	M an..3	+VA	VA Value added tax identification number	
1154	Reference identifier	R an..20	: 001002993'	Value added tax identification number of the consignee	Buyer Tab: Contact Consignee => VAT No.

Comments:

Code values:

RFF+VA:001002993'

Formal description of segments

Group: **SG3** Status: D Max. Occ.: 1 NAD-LOC-SG4-SG6

Group: **SG4** Status: C Max. Occ.: 1 RFF

Segment: **RFF** cons. No33 Level: 2 **Reference**
 Status: M Max. Occ.: 1

Description: RFF

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
RFF		M	RFF		
C506	Reference	M			
1153	Reference function code qualifier	M an..3	+ARB	ARB Prior Data Universal Number System (DUNS) number	
1154	Reference identifier	R an..14	: 006005004'	DUNS-number of the consignee	Buyer Tab: Contact Consignee => DUNS

Comments:

Code values:

RFF+ARB:006005004'

Formal description of segments

Group:	SG3	Status: D	Max. Occ.: 1	NAD-LOC-SG4-SG6
Group:	SG6	Status: C	Max. Occ.: 1	CTA-COM
Segment:	CTA	cons. No34 Status: M	Level: 2 Max. Occ.: 1	Contact information

Description: CTA

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
CTA		M	CTA		
3139	Contact function code	R an..3	+DL	DL Delivery contact	
C056	Department or employee details	C			
3413	Department or employee identification	C an..35	+EKCT 001	Department	Buyer Tab: Contact Consignee => Department
3412	Department or employee	C an..35	:Konrad Meier'	Name of the contact person	Buyer Tab: Contact Consignee => Contact

Comments:

Code values:

CTA+DL+EKCT 001:Konrad Meier'

Formal description of segments

Group:	SG3	Status: D	Max. Occ.: 1	NAD-LOC-SG4-SG6
Group:	SG6	Status: C	Max. Occ.: 1	CTA-COM
Segment:	COM	cons. No35 Status: C	Level: 3 Max. Occ.: 1	Communication contact

Description: COM

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
COM		C	COM		
C076	Communication contact	M			
3148	Communication number	M an..30	+04019558 8784	phonenummer contact person	Buyer Tab: Contact Consignee => Phone
3155	Communication number code qualifier	M an..3	:TE'	TE phone	

Comments:

Code values:

COM+040195588784:TE'

Formal description of segments

Group:	SG3	Status: D	Max. Occ.: 1	NAD-LOC-SG4-SG6
Group:	SG6	Status: C	Max. Occ.: 1	CTA-COM
Segment:	COM	cons. No36 Status: C	Level: 3 Max. Occ.: 1	Communication contact

Description: COM

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
COM		C	COM		
C076	Communication contact	M			
3148	Communication number	M an..30	+04019558 8794	Fax-No of the consignee	Buyer Tab: Contact Consignee => Fax
3155	Communication number code qualifier	M an..3	:FX'	FX Telefax	

Comments:

Code values:

COM+040195588794:FX'

Formal description of segments

Group:	SG3	Status: D	Max. Occ.: 1	NAD-LOC-SG4-SG6
Group:	SG6	Status: C	Max. Occ.: 1	CTA-COM
Segment:	COM	cons. No37 Status: C	Level: 3 Max. Occ.: 1	Communication contact

Description: COM

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
COM		C	COM		
C076	Communication contact	M			
3148	Communication number	M an..50	+K. Meier@buy er.de	Consignee's email address	Buyer Tab: Contact Consignee => E-mail
3155	Communication number code qualifier	M an..3	:EM'	EM eMail	

Comments:

Code values:

COM+K.Meier@buyer.de:EM'

Formal description of segments

Group: **SG3** Status: R Max. Occ.: 1 NAD-SG4-SG6

Segment: **NAD** cons. No38 Level: 1 **Name and address (supplier)**
Status: M Max. Occ.: 1

Description: NAD

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
NAD		M	NAD		
3035	Party function code qualifier	M an..3	+SU	SU Supplier	
C082	Party identification details	R			
3039	Party identifier	M an..20	+00400400	Supplier number	Supplier Tab: Contact Supplier => Supplier No
1131	Code list identification code	N	:		
3055	Code list responsible agency code	R an..3	:92	92 Assigned by buyer or buyer's agent	
C058	Name and address	N			
3124	Name and address line	N	+		
C080	Party name	R			
3036	Party name	M an..35	+Supplier GmbH & Co. KG	Supplier's company name	Supplier Tab: Supplier Address
3036	Party name	C an..35	:Supplier Name2	Supplier's company name2	Supplier Tab: Supplier Address
3036	Party name	C an..35	:Supplier Name3	Supplier's company name3	Supplier Tab: Supplier Address
3036	Party name	C an..35	:Supplier Name4	Supplier's company name4	Supplier Tab: Supplier Address
C059	Street	R			
3042	Street and number/p.o. box	M an..35	+Kastanienweg 12	supplier address	Supplier Tab: Supplier Address
3164	City name	R an..35	+Bremen		Supplier Tab: Supplier Address
C819	Country sub-entity details	C			
3229	Country sub-entity name code	C an..9	+		Supplier Tab: Supplier Address
3251	Postal identification code	C an..17	+45678		Supplier Tab: Supplier Address
3207	Country name code	C an..3	+DE'	DE GERMANY	Supplier Tab: Supplier Address

Comments:

Code values:

NAD+SU+00400400::92++Supplier GmbH & Co. KG:Supplier Name2:Supplier Name3:Supplier Name4+Kastanienweg 12+Bremen++45678+DE'

Formal description of segments

Group: **SG3** Status: R Max. Occ.: 1 NAD-SG4-SG6

Group: **SG4** Status: C Max. Occ.: 1 RFF

Segment: **RFF** cons. No39 Level: 2 **Reference**
 Status: M Max. Occ.: 1

Description: RFF

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
RFF		M	RFF		
C506	Reference	M			
1153	Reference function code qualifier	M an..3	+VA	VA Value added tax identification number	
1154	Reference identifier	R an..20	: 001002003'	Value added tax identification number of the supplier	Supplier Tab: Supplier Contact => VAT No.

Comments:

Code values:

RFF+VA:001002003'

Formal description of segments

Group: **SG3** Status: R Max. Occ.: 1 NAD-SG4-SG6

Group: **SG4** Status: C Max. Occ.: 1 RFF

Segment: **RFF** cons. No40 Level: 2 **Reference**
Status: M Max. Occ.: 1

Description: RFF

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
RFF		M	RFF		
C506	Reference	M			
1153	Reference function code qualifier	M an..3	+ARB	ARB Prior Data Universal Number System (DUNS) number	
1154	Reference identifier	R an..14	: 006005004'	DUNS-number of the supplier	Supplier Tab: Supplier Contact => DUNS

Comments:

Code values:

RFF+ARB:006005004'

Formal description of segments

Group:	SG3	Status: R	Max. Occ.: 1	NAD-SG4-SG6
Group:	SG4	Status: C	Max. Occ.: 1	RFF
Segment:	RFF	cons. No41 Status: M	Level: 2 Max. Occ.: 1	Reference

Description: RFF

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
RFF		M	RFF		
C506	Reference	M			
1153	Reference function code qualifier	M an..3	+FC	FC Fiscal number	
1154	Reference identifier	R an..20	: 008008008'	Tax-ID of the supplier	Supplier Tab: Supplier Contact => Tax No.

Comments:

Code values:

RFF+FC:008008008'

Formal description of segments

Group:	SG3	Status: R	Max. Occ.: 1	NAD-SG4-SG6
Group:	SG6	Status: C	Max. Occ.: 1	CTA-COM
Segment:	CTA	cons. No42 Status: M	Level: 2 Max. Occ.: 1	Contact information

Description: CTA

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
CTA		M	CTA		
3139	Contact function code	R an..3	+DL	DL Delivery contact	
C056	Department or employee details	C			
3413	Department or employee identification	C an..35	+SUCT 001	Department	Supplier Tab: Supplier Contact => Department
3412	Department or employee	C an..35	:Eberhard Mueller'	Name of the contact person	Supplier Tab: Supplier Contact => Contact

Comments:

Code values:

CTA+DL+SUCT 001:Eberhard Mueller'

Formal description of segments

Group:	SG3	Status: R	Max. Occ.: 1	NAD-SG4-SG6
Group:	SG6	Status: C	Max. Occ.: 1	CTA-COM
Segment:	COM	cons. No43 Status: C	Level: 3 Max. Occ.: 1	Communication contact

Description: COM

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
COM		C	COM		
C076	Communication contact	M			
3148	Communication number	M an..30	+040133588784	phonenummer contact person	Supplier Tab: Supplier Contact => Phone
3155	Communication number code qualifier	M an..3	:TE'	TE phone	

Comments:

Code values:

COM+040133588784:TE'

Formal description of segments

Group:	SG3	Status: R	Max. Occ.: 1	NAD-SG4-SG6
Group:	SG6	Status: C	Max. Occ.: 1	CTA-COM
Segment:	COM	cons. No44 Status: C	Level: 3 Max. Occ.: 1	Communication contact

Description: COM

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
COM		C	COM		
C076	Communication contact	M			
3148	Communication number	M an..30	+04013358 8794	Fax-No of the supplier	Supplier Tab: Supplier Contact => Fax
3155	Communication number code qualifier	M an..3	:FX'	FX Telefax	

Comments:

Code values:

COM+040133588794:FX'

Formal description of segments

Group:	SG3	Status: R	Max. Occ.: 1	NAD-SG4-SG6
Group:	SG6	Status: C	Max. Occ.: 1	CTA-COM
Segment:	COM	cons. No45 Status: C	Level: 3 Max. Occ.: 1	Communication contact

Description: COM

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
COM		C	COM		
C076	Communication contact	M			
3148	Communication number	M an..50	+E. Mueller@supplier.de	Supplier email address	Supplier Tab: Supplier Contact => E-mail
3155	Communication number code qualifier	M an..3	:EM'	EM eMail	

Comments:

Code values:

COM+E.Mueller@supplier.de:EM'

Formal description of segments

Group: **SG3** Status: C Max. Occ.: 99 NAD-SG4-SG6

This NAD-Segment is only allowed if there is no further NAD-Segment on position-level with an existing qualifier IV. In the case of this, on every position there has to be an NAD-segement with an existing qualifier IV.

Segment: **NAD** cons. No46 Level: 1 **Name and address (Invoicee)**
 Status: M Max. Occ.: 1

Description: NAD

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
NAD		M	NAD		
3035	Party function code qualifier	M an..3	+IV	IV Invoicee	
C082	Party identification details	R			
3039	Party identifier	M an..20	+00999888	Invoicee number	Buyer Tab: Contact Invoicee => Invoicee No
1131	Code list identification code	N	:		
3055	Code list responsible agency code	R an..3	:92	92 Assigned by buyer or buyer's agent	
C058	Name and address	N			
3124	Name and address line	N	+		
C080	Party name	R			
3036	Party name	M an..35	+Invoicee GmbH & Co. KG	Name of the invoicee	Buyer Tab: Invoice Address
3036	Party name	C an..35	:Invoicee Name2	Name2 of the invoicee	Buyer Tab: Invoice Address
3036	Party name	C an..35	:Invoicee Name3	Name3 of the invoicee	Buyer Tab: Invoice Address
3036	Party name	C an..35	:Invoicee Name4	Name4 of the invoicee	Buyer Tab: Invoice Address
C059	Street	R			
3042	Street and number/p.o. box	M an..35	+Hauptstrasse 44	Invoicee address	Buyer Tab: Invoice Address
3164	City name	R an..35	+Berlin		Buyer Tab: Invoicee Address
C819	Country sub-entity details	C			
3229	Country sub-entity name code	C an..9	+		Buyer Tab: Invoice Address
3251	Postal identification code	C an..17	+12345		Buyer Tab: Invoice Address
3207	Country name code	C an..3	+DE'	DE GERMANY	Buyer Tab: Invoice Address

Comments:

Code values:

NAD+IV+00999888::92++Invoicee GmbH & Co. KG:Invoicee Name2:Invoicee Name3:Invoicee Name4+Hauptstrasse 44+Berlin++12345+DE'

Formal description of segments

Group: **SG3** Status: C Max. Occ.: 99 NAD-SG4-SG6

This NAD-Segment is only allowed if there is no further NAD-Segment on position-level with an existing qualifier IV. In the case of this, on every position there has to be an NAD-segement with an existing qualifier IV.

Group: **SG4** Status: C Max. Occ.: 1 RFF

Segment: **RFF** cons. No47 Level: 2 **Reference**
 Status: M Max. Occ.: 1

Description: RFF

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
RFF		M	RFF		
C506	Reference	M			
1153	Reference function code qualifier	M an..3	+VA	VA Value added tax identification number	
1154	Reference identifier	R an..20	: 004003003'	Value added tax identification number invoicee	Buyer Tab: Contact Invoicee => VAT No.

Comments:

Code values:

RFF+VA:004003003'

Formal description of segments

Group: **SG3** Status: C Max. Occ.: 99 NAD-SG4-SG6

This NAD-Segment is only allowed if there is no further NAD-Segment on position-level with an existing qualifier IV. In the case of this, on every position there has to be an NAD-segement with an existing qualifier IV.

Group: **SG4** Status: C Max. Occ.: 1 RFF

Segment: **RFF** cons. No48 Level: 2 **Reference**
 Status: M Max. Occ.: 1

Description: RFF

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
RFF		M	RFF		
C506	Reference	M			
1153	Reference function code qualifier	M an..3	+ARB	ARB Prior Data Universal Number System (DUNS) number	
1154	Reference identifier	R an..14	: 006005004'	DUNS-number of the invoicee	Buyer Tab: Contact Invoicee => DUNS

Comments:

Code values:

RFF+ARB:006005004'

Formal description of segments

Group: **SG3** Status: C Max. Occ.: 99 NAD-SG4-SG6

This NAD-Segment is only allowed if there is no further NAD-Segment on position-level with an existing qualifier IV. In the case of this, on every position there has to be an NAD-segement with an existing qualifier IV.

Group: **SG6** Status: C Max. Occ.: 1 CTA-COM

Segment: **CTA** cons. No49 Level: 2 **Contact information**
 Status: M Max. Occ.: 1

Description: CTA

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
CTA		M	CTA		
3139	Contact function code	R an..3	+DL	DL Delivery contact	
C056	Department or employee details	C			
3413	Department or employee identification	C an..35	+IVCT 001	Department	Buyer Tab: Contact Invoicee => Departement
3412	Department or employee	C an..35	:Karsten Spiegel'	Name of the contact person	Buyer Tab: Contact Invoicee => Contact

Comments:

Code values:

CTA+DL+IVCT 001:Karsten Spiegel'

Formal description of segments

Group: **SG3** Status: C Max. Occ.: 99 NAD-SG4-SG6

This NAD-Segment is only allowed if there is no further NAD-Segment on position-level with an existing qualifier IV. In the case of this, on every position there has to be an NAD-segement with an existing qualifier IV.

Group: **SG6** Status: C Max. Occ.: 1 CTA-COM

Segment: **COM** cons. No50 Level: 3 **Communication contact**
 Status: C Max. Occ.: 1

Description: **COM**

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
COM		C	COM		
C076	Communication contact	M			
3148	Communication number	M an..30	+047833588784	phonenumber contact person	Buyer Tab: Contact Invoicee => Phone
3155	Communication number code qualifier	M an..3	:TE'	TE phone	

Comments:

Code values:

COM+047833588784:TE'

Formal description of segments

Group: **SG3** Status: C Max. Occ.: 99 NAD-SG4-SG6

This NAD-Segment is only allowed if there is no further NAD-Segment on position-level with an existing qualifier IV. In the case of this, on every position there has to be an NAD-segement with an existing qualifier IV.

Group: **SG6** Status: C Max. Occ.: 1 CTA-COM

Segment: **COM** cons. No51 Level: 3 **Communication contact**
 Status: C Max. Occ.: 1

Description: **COM**

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
COM		C	COM		
C076	Communication contact	M			
3148	Communication number	M an..30	+047833588794	Fax-No of the invoicee	Buyer Tab: Contact Invoicee => Fax
3155	Communication number code qualifier	M an..3	:FX'	FX Telefax	

Comments:

Code values:

COM+047833588794:FX'

Formal description of segments

Group: **SG3** Status: C Max. Occ.: 99 NAD-SG4-SG6

This NAD-Segment is only allowed if there is no further NAD-Segment on position-level with an existing qualifier IV. In the case of this, on every position there has to be an NAD-segement with an existing qualifier IV.

Group: **SG6** Status: C Max. Occ.: 1 CTA-COM

Segment: **COM** cons. No52 Level: 3 **Communication contact**
 Status: C Max. Occ.: 1

Description: **COM**

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
COM		C	COM		
C076	Communication contact	M			
3148	Communication number	M an..50	+K. Spiegel@in voicee.de	Invoicee email address	Buyer Tab: Contact Invoicee => E-mail
3155	Communication number code qualifier	M an..3	:EM'	EM eMail	

Comments:

Code values:

COM+K.Spiegel@invoicee.de:EM'

Formal description of segments

Group: **SG3** Status: C Max. Occ.: 1 NAD-SG4-SG6

Segment: **NAD** cons. No53 Level: 1 Name and address (carrier)
Status: M Max. Occ.: 1

Description: NAD

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
NAD		M	NAD		
3035	Party function code qualifier	M an..3	+CA	CA Carrier	
C082	Party identification details	R			
3039	Party identifier	M an..20	+5588666699	Carrier code	3rd Party Tab: Contact Partner => Partner No
1131	Code list identification code	N	:		
3055	Code list responsible agency code	R an..3	:92	92 Assigned by buyer or buyer's agent	
C058	Name and address	N			
3124	Name and address line	N	+		
C080	Party name	R			
3036	Party name	M an..35	+TransSped KG	Name of carrier	3rd Party Tab: Partner Address
3036	Party name	C an..35	:Sped Name2	Name2 of carrier	3rd Party Tab: Partner Address
3036	Party name	C an..35	:Sped Name3	Name3 of carrier	3rd Party Tab: Partner Address
3036	Party name	C an..35	:Sped Name4	Name4 of carrier	3rd Party Tab: Partner Address
C059	Street	R			
3042	Street and number/p.o. box	M an..35	+Lagerpfad 33	Carrier's address	3rd Party Tab: Partner Address
3164	City name	R an..35	+Dünsen		3rd Party Tab: Partner Address
C819	Country sub-entity details	C			
3229	Country sub-entity name code	C an..9	+		3rd Party Tab: Partner Address
3251	Postal identification code	C an..17	+55345		3rd Party Tab: Partner Address
3207	Country name code	C an..3	+DE'	DE GERMANY	3rd Party Tab: Partner Address

Comments:

Code values:

NAD+CA+5588666699::92++TransSped KG:Sped Name2:Sped Name3:Sped Name4+Lagerpfad 33+Dünsen++55345+DE'

Formal description of segments

Group:	SG3	Status: C	Max. Occ.: 1	NAD-SG4-SG6
Group:	SG4	Status: C	Max. Occ.: 1	RFF
Segment:	RFF	cons. No54 Status: M	Level: 2 Max. Occ.: 1	Reference

Description: RFF

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
RFF		M	RFF		
C506	Reference	M			
1153	Reference function code qualifier	M an..3	+VA	VA Value added tax identification number	
1154	Reference identifier	R an..20	: 004993011'	Value added tax identification number carrier	3rd Party Tab: Contact Partner: VAT No

Comments:

Code values:

RFF+VA:004993011'

Formal description of segments

Group:	SG3	Status: C	Max. Occ.: 1	NAD-SG4-SG6
Group:	SG4	Status: C	Max. Occ.: 1	RFF
Segment:	RFF	cons. No55 Status: M	Level: 2 Max. Occ.: 1	Reference

Description: RFF

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
RFF		M	RFF		
C506	Reference	M			
1153	Reference function code qualifier	M an..3	+ARB	ARB Prior Data Universal Number System (DUNS) number	
1154	Reference identifier	R an..14	: 088774404'	DUNS-Number of the carrier	3rd Party Tab: Contact Partner: DUNS

Comments:

Code values:

RFF+ARB:088774404'

Formal description of segments

Group:	SG3	Status: C	Max. Occ.: 1	NAD-SG4-SG6
Group:	SG6	Status: C	Max. Occ.: 1	CTA-COM
Segment:	CTA	cons. No56 Status: M	Level: 2 Max. Occ.: 1	Contact information

Description: CTA

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
CTA		M	CTA		
3139	Contact function code	R an..3	+DL	DL Delivery contact	
C056	Department or employee details	C			
3413	Department or employee identification	C an..35	+CACT 001	Department	3rd Party Tab: Contact Partner: Department
3412	Department or employee	C an..35	:Thorsten Klipfel'	Name of the contact person	3rd Party Tab: Contact Partner: Contact

Comments:

Code values:

CTA+DL+CACT 001:Thorsten Klipfel'

Formal description of segments

Group:	SG3	Status: C	Max. Occ.: 1	NAD-SG4-SG6
Group:	SG6	Status: C	Max. Occ.: 1	CTA-COM
Segment:	COM	cons. No57 Status: C	Level: 3 Max. Occ.: 1	Communication contact

Description: COM

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
COM		C	COM		
C076	Communication contact	M			
3148	Communication number	M an..30	+777833588788	phonenummer contact person	3rd Party Tab: Contact Partner: Phone
3155	Communication number code qualifier	M an..3	:TE'	TE phone	

Comments:

Code values:

COM+777833588788:TE'

Formal description of segments

Group:	SG3	Status: C	Max. Occ.: 1	NAD-SG4-SG6
Group:	SG6	Status: C	Max. Occ.: 1	CTA-COM
Segment:	COM	cons. No58 Status: C	Level: 3 Max. Occ.: 1	Communication contact

Description: COM

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
COM		C	COM		
C076	Communication contact	M			
3148	Communication number	M an..30	+07783358 8777	Fax-No of the carrier	3rd Party Tab: Contact Partner: Fax
3155	Communication number code qualifier	M an..3	:FX'	FX Telefax	

Comments:

Code values:

COM+077833588777:FX'

Formal description of segments

Group:	SG3	Status: C	Max. Occ.: 1	NAD-SG4-SG6
Group:	SG6	Status: C	Max. Occ.: 1	CTA-COM
Segment:	COM	cons. No59 Status: C	Level: 3 Max. Occ.: 1	Communication contact

Description: COM

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
COM		C	COM		
C076	Communication contact	M			
3148	Communication number	M an..50	+T. Klipfel@icarrier.de	Carrier email address	3rd Party Tab: Contact Partner: Email
3155	Communication number code qualifier	M an..3	:EM'	EM eMail	

Comments:

Code values:

COM+T.Klipfel@icarrier.de:EM'

Formal description of segments

Group: **SG26** Status: R Max. Occ.: 999 LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51

Segment: **LIN** cons. No60 Level: 1 **Line item**
 Status: M Max. Occ.: 1

Description: LIN

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
LIN		M			
1082	Line item number	R n..6	+001	Unique line item number within a order (leading zero recommended)	Positions Tab: Pos.
1229	Action request/notification description code	D an..3	+5	Status depending on direction IN M OUT O Order Response position status code Special use case if actioncode paramter is 4 No action 5 Confirmed as-is 6 Changed 7 Declined 84 Price changed 111 Date changed 112 Quantity changed 113 Surcharge/Rebate changed	
C212	Item number identification	R			
7140	Item number	D an..35	+4000875421	article-number customer Conditional for BGM+320	Positions Tab: Buyer Article Number
7143	Item type identification code	R an..3	:IN'	IN Buyer's item number	

Comments:

To receive unchanged positions with the action code "4" an additional application configuration is required.

Code values:

LIN+001+5+4000875421:IN'

Formal description of segments

Group: **SG26** Status: R Max. Occ.: 999 LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51

Segment: **PIA** cons. No61 Level: 2 **Additional product id**
 Status: C Max. Occ.: 1

Description: PIA

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
PIA		C			
4347	Product id. function qualifier	M an..3	+5	5 Product identification	
C212	Item number identification	M			
7140	Item number	C an..35	+088457855587	Item number supplier	Positions Tab: Supplier Article Number from PO
7143	Item type identification code	R an..3	:SA	SA Supplier's article number	
C212	Item number identification	C			
7140	Item number	R an..14	+12/02		Positions Tab: Change Level
7143	Item type identification code	R an..3	:EC'	EC Engineering change level	

Comments:

Code values:

PIA+5+088457855587:SA+12/02:EC'

Formal description of segments

Group: **SG26** Status: R Max. Occ.: 999 LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51

Segment: **IMD** cons. No62 Level: 2 **Item description**
Status: R Max. Occ.: 1

Description: **IMD**

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
IMD		R			
7077	Item description type, coded	R an..3	+F	F Free text	
C272	Item characteristic	N			
7081	Item characteristic code	N	+		
C273	Item description	R			
7009	Item description identification	N	+		
1131	Code list identification code	N	:		
3055	Code list responsible agency code	N	:		
7008	Item description	R an..256	:Article Description 1	item description customer	Positions Tab: Article Description
7008	Item description	C an..256	:Article Description 1'	item description supplier	

Comments:

Code values:

IMD+F+++:::Article Description 1:Article Description 1'

Formal description of segments

Group: **SG26** Status: R Max. Occ.: 999 LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51

Segment: **QTY** cons. No63 Level: 2 **Quantity**
Status: C Max. Occ.: 1

Description: QTY

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
QTY		C	QTY		
C186	Quantity details	M			
6063	Quantity type code qualifier	M an..3	+113	113 Complete delivery quantity	
6060	Quantity	M n..17	:1500		
6411	Measurement unit code	R an..3	:EA'	Quantity unit EA each MTR metre MTK square metre MTQ cubic metre LTR litre TNE tonne (metric ton) KGM kilogram GRM gram MMT millimetre SET set PR pair DAY day HUR hour	

Comments:

Code values:
QTY+113:1500:EA'

Formal description of segments

Group: **SG26** Status: R Max. Occ.: 999 LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51

Segment: **QTY** cons. No64 Level: 2 **Quantity**
Status: C Max. Occ.: 1

Description: QTY

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
QTY		C	QTY		
C186	Quantity details	M			
6063	Quantity type code qualifier	M an..3	+129	129 Units per unit price	
6060	Quantity	M n..17	:1500		
6411	Measurement unit code	R an..3	:EA'	Quantity unit EA each MTR metre MTK square metre MTQ cubic metre LTR litre TNE tonne (metric ton) KGM kilogram GRM gram MMT millimetre SET set PR pair DAY day HUR hour	

Comments:

Code values:

QTY+129:1500:EA'

Formal description of segments

Group: **SG26** Status: R Max. Occ.: 999 LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51

Segment: **ALI** cons. No65 Level: 2 **Additional information**
Status: C Max. Occ.: 1

Description: ALI

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
ALI		C	ALI		
3239	Country of origin, coded	N	+		
9213	Type of duty regime, coded	N	+		
4183	Special condition code	C an1	+S	U Series ans replacement S Series in general E Replacement in general V Test P Pilot Z Supplements M First sample Y Sample X Other Blank Not specified Purpose key	
4183	Special condition code	C an..3	+Y'	Y Flag, that a response is required for this position (N = no response is required for this position)	Positions Tab: Confirmation required

Comments:

Code values:

ALI+++S+Y'

Formal description of segments

Group: **SG26** Status: R Max. Occ.: 999 LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51

Segment: **DTM** cons. No66 Level: 2 **Date/time/period**
Status: C Max. Occ.: 1

Description: DTM

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
DTM		C	DTM		
C507	Date/time/period	M			
2005	Date/time/period function code qualifier	M an..3	+334	334 Status change, date/ time Last date of change of the position	
2380	Date/time/period value	R n8	:20030530		
2379	Date/time/period format code	R an..3	:102'	102 JJJJMMTT	

Comments:

Code values:

DTM+334:20030530:102'

Formal description of segments

Group: **SG26** Status: R Max. Occ.: 999 LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51

Segment: **DTM** cons. No67 Level: 2 **Date/time/period**
 Status: M Max. Occ.: 1

Description: DTM

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
DTM		M	DTM		
C507	Date/time/period	M			
2005	Date/time/period function code qualifier	M an..3	+55	55 Confirmed date/time	
2380	Date/time/period value	R n8	:20030530		Positions Tab: First Delivery Date
2379	Date/time/period format code	R an..3	:102'	102 JJJJMMTT	

Comments:

Code values:

DTM+55:20030530:102'

Formal description of segments

Group: **SG26** Status: R Max. Occ.: 999 LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51

Segment: **FTX** cons. No68 Level: 2 **Free text**
Status: C Max. Occ.: 1

Description: FTX

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
FTX		C	FTX		
4451	Text subject code qualifier	M an..3	+AAI	AAI General information	
4453	Text function, coded	N	+		
C107	Text reference	N			
4441	Free text value code	N	+		
C108	Text literal	R			
4440	Free text value	M an..512	+General Information		Positions Tab: Free Text
4440	Free text value	C an..512	: Continuation text 2		Positions Tab: Free Text
4440	Free text value	C an..512	: Continuation text 3		Positions Tab: Free Text
4440	Free text value	C an..512	: Continuation text 4		Positions Tab: Free Text
4440	Free text value	C an..512	: Continuation text 5'		Positions Tab: Free Text

Comments:

Code values:

FTX+AAI+++General Information:Continuation text 2:Continuation text 3:Continuation text 4:Continuation text 5'

Formal description of segments

Group: **SG26** Status: R Max. Occ.: 999 LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51

Segment: **FTX** cons. No69 Level: 2 **Free text**
Status: C Max. Occ.: 1

Description: FTX

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
FTX		C	FTX		
4451	Text subject code qualifier	M an..3	+DIN	DIN Delivery instructions Not used for WebEDI	
4453	Text function, coded	N	+		
C107	Text reference	N			
4441	Free text value code	N	+		
C108	Text literal	C			
4440	Free text value	M an..70	+Shipping Instructions	Specification of delivery instructions. Per FTX_4440 field max. 70 character.	
4440	Free text value	C an..70	: Continuation text 2		
4440	Free text value	C an..70	: Continuation text 3		
4440	Free text value	C an..512	: Continuation text 4		
4440	Free text value	C an..512	: Continuation text 5'		

Comments:

Code values:

FTX+DIN+++Shipping Instructions:Continuation text 2:Continuation text 3:Continuation text 4:Continuation text 5'

Formal description of segments

Group: **SG26** Status: R Max. Occ.: 999 LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51

Segment: **FTX** cons. No70 Level: 2 **Free text**
 Status: C Max. Occ.: 1

Description: FTX

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
FTX		C	Requested Documents		
4451	Text subject code qualifier	M an..3	+ABX	ABX Requested Documents	
4453	Text function, coded	N	+		
C107	Text reference	N			
4441	Free text value code	N	+		
C108	Text literal	C			
4440	Free text value	M an..35	+Document Code'	Customer document code	Line items Tab: Requested Documents

Comments:

Code values:

FTX+ABX+++Document Code'

Formal description of segments

Group: **SG26** Status: R Max. Occ.: 999 LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51

Segment: **FTX** cons. No71 Level: 2 **Free text**
Status: C Max. Occ.: 1

Description: FTX

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
FTX		C	FTX		
4451	Text subject code qualifier	M an..3	+F01	F01 Flexible-Field 1	
4453	Text function, coded	N	+		
C107	Text reference	N			
4441	Free text value code	N	+		
C108	Text literal	C			
4440	Free text value	M an..15	+FlexibleField01'	Value of Flexible Field 01	Positions Tab: <individual labelling>

Comments:

Code values:

FTX+F01+++FlexibleField01'

Formal description of segments

Group: **SG26** Status: R Max. Occ.: 999 LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51

Segment: **FTX** cons. No72 Level: 2 **Free text**
 Status: C Max. Occ.: 1

Description: FTX

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
FTX		C	FTX		
4451	Text subject code qualifier	M an..3	+F02	F02 Flexible-Field 2	
4453	Text function, coded	N	+		
C107	Text reference	N			
4441	Free text value code	N	+		
C108	Text literal	C			
4440	Free text value	M an..15	+FlexibleField02'	Value of Flexible Field 02	Positions Tab: <individual labelling>

Comments:

Code values:

FTX+F02+++FlexibleField02'

Formal description of segments

Group: **SG26** Status: R Max. Occ.: 999 LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51

Segment: **FTX** cons. No73 Level: 2 **Free text**
Status: C Max. Occ.: 1

Description: FTX

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
FTX		C	FTX		
4451	Text subject code qualifier	M an..3	+F03	F03 Flexible-Field 3	
4453	Text function, coded	N	+		
C107	Text reference	N			
4441	Free text value code	N	+		
C108	Text literal	C			
4440	Free text value	M an..15	+FlexibleField03'	Value of Flexible Field 03	Positions Tab: <individual labelling>

Comments:

Code values:

FTX+F03+++FlexibleField03'

Formal description of segments

Group: **SG26** Status: R Max. Occ.: 999 LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51

Segment: **FTX** cons. No74 Level: 2 **Free text**
Status: C Max. Occ.: 1

Description: FTX

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
FTX		C	FTX		
4451	Text subject code qualifier	M an..3	+F04	F04 Flexible-Field 4	
4453	Text function, coded	N	+		
C107	Text reference	N			
4441	Free text value code	N	+		
C108	Text literal	C			
4440	Free text value	M an..15	+FlexibleField04'	Value of Flexible Field 04	Positions Tab: <individual labelling>

Comments:

Code values:

FTX+F04+++FlexibleField04'

Formal description of segments

Group: **SG26** Status: R Max. Occ.: 999 LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51

Segment: **FTX** cons. No75 Level: 2 **Free text**
Status: C Max. Occ.: 1

Description: FTX

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
FTX		C	FTX		
4451	Text subject code qualifier	M an..3	+F05	F05 Flexible-Field 5	
4453	Text function, coded	N	+		
C107	Text reference	N			
4441	Free text value code	N	+		
C108	Text literal	C			
4440	Free text value	M an..15	+FlexibleField05'	Value of Flexible Field 05	Positions Tab: <individual labelling>

Comments:

Code values:

FTX+F05+++FlexibleField05'

Formal description of segments

Group: **SG26** Status: R Max. Occ.: 999 LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51

Segment: **FTX** cons. No76 Level: 2 **Free text**
Status: C Max. Occ.: 1

Description: FTX

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
FTX		C	FTX		
4451	Text subject code qualifier	M an..3	+F06	F06 Flexible-Field 6	
4453	Text function, coded	N	+		
C107	Text reference	N			
4441	Free text value code	N	+		
C108	Text literal	C			
4440	Free text value	M an..15	+FlexibleField06'	Value of Flexible Field 06	Positions Tab: <individual labelling>

Comments:

Code values:

FTX+F06+++FlexibleField06'

Formal description of segments

Group: **SG26** Status: R Max. Occ.: 999 LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51

Segment: **FTX** cons. No77 Level: 2 **Free text**
Status: C Max. Occ.: 1

Description: FTX

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
FTX		C	FTX		
4451	Text subject code qualifier	M an..3	+F07	F07 Flexible-Field 7	
4453	Text function, coded	N	+		
C107	Text reference	N			
4441	Free text value code	N	+		
C108	Text literal	C			
4440	Free text value	M an..15	+FlexibleField07'	Value of Flexible Field 07	Positions Tab: <individual labelling>

Comments:

Code values:

FTX+F07+++FlexibleField07'

Formal description of segments

Group: **SG26** Status: R Max. Occ.: 999 LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51

Segment: **FTX** cons. No78 Level: 2 **Free text**
Status: C Max. Occ.: 1

Description: FTX

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
FTX		C	FTX		
4451	Text subject code qualifier	M an..3	+F08	F08 Flexible-Field 8	
4453	Text function, coded	N	+		
C107	Text reference	N			
4441	Free text value code	N	+		
C108	Text literal	C			
4440	Free text value	M an..15	+FlexibleField08'	Value of Flexible Field 08	Positions Tab: <individual labelling>

Comments:

Code values:

FTX+F08+++FlexibleField08'

Formal description of segments

Group: **SG26** Status: R Max. Occ.: 999 LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51

Segment: **FTX** cons. No79 Level: 2 **Free text**
Status: C Max. Occ.: 1

Description: FTX

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
FTX		C	FTX		
4451	Text subject code qualifier	M an..3	+F09	F09 Flexible-Field 9	
4453	Text function, coded	N	+		
C107	Text reference	N			
4441	Free text value code	N	+		
C108	Text literal	C			
4440	Free text value	M an..15	+FlexibleField09'	Value of Flexible Field 09	Positions Tab: <individual labelling>

Comments:

Code values:

FTX+F09+++FlexibleField09'

Formal description of segments

Group: **SG26** Status: R Max. Occ.: 999 LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51

Segment: **FTX** cons. No80 Level: 2 **Free text**
 Status: C Max. Occ.: 1

Description: FTX

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
FTX		C	FTX		
4451	Text subject code qualifier	M an..3	+F10	F10 Flexible-Field 10	
4453	Text function, coded	N	+		
C107	Text reference	N			
4441	Free text value code	N	+		
C108	Text literal	C			
4440	Free text value	M an..50	+FlexibleField10'	Value of Flexible Field 10	Positions Tab: <individual labelling>

Comments:

Code values:

FTX+F10+++FlexibleField10'

Formal description of segments

Group: **SG26** Status: R Max. Occ.: 999 LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51

Segment: **FTX** cons. No81 Level: 2 **Free text**
Status: C Max. Occ.: 1

Description: FTX

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
FTX		C	FTX		
4451	Text subject code qualifier	M an..3	+F11	F11 Flexible-Field 11	
4453	Text function, coded	N	+		
C107	Text reference	N			
4441	Free text value code	N	+		
C108	Text literal	C			
4440	Free text value	M an..50	+FlexibleField11'	Value of Flexible Field 11	Positions Tab: <individual labelling>

Comments:

Code values:

FTX+F11+++FlexibleField11'

Formal description of segments

Group: **SG26** Status: R Max. Occ.: 999 LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51

Segment: **FTX** cons. No82 Level: 2 **Free text**
Status: C Max. Occ.: 1

Description: FTX

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
FTX		C	FTX		
4451	Text subject code qualifier	M an..3	+F12	F12 Flexible-Field 12	
4453	Text function, coded	N	+		
C107	Text reference	N			
4441	Free text value code	N	+		
C108	Text literal	C			
4440	Free text value	M an..50	+FlexibleField12'	Value of Flexible Field 12	Positions Tab: <individual labelling>

Comments:

Code values:

FTX+F12+++FlexibleField12'

Formal description of segments

Group: **SG26** Status: R Max. Occ.: 999 LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51

Segment: **FTX** cons. No83 Level: 2 **Free text**
Status: C Max. Occ.: 1

Description: FTX

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
FTX		C	FTX		
4451	Text subject code qualifier	M an..3	+FL1	FL1 LinkText 1	
4453	Text function, coded	N	+		
C107	Text reference	N			
4441	Free text value code	N	+		
C108	Text literal	C			
4440	Free text value	M an..250	+http?:// www. supplyon. com/ documente /link1.pdf	Value of Link 1	Positions Tab: Link

Comments:

Code values:

FTX+FL1+++http?://www.supplyon.com/documente/link1.pdf

Formal description of segments

Group: **SG26** Status: R Max. Occ.: 999 LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51

Segment: **FTX** cons. No84 Level: 2 **Free text**
 Status: C Max. Occ.: 1

Description: FTX

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
FTX		C	FTX		
4451	Text subject code qualifier	M an..3	+FL2	FL2 LinkText 2	
4453	Text function, coded	N	+		
C107	Text reference	N			
4441	Free text value code	N	+		
C108	Text literal	C			
4440	Free text value	M an..250	+http?:// www. supplyon. com/ documente /link2.pdf	Value of Link 2	Positions Tab: Link

Comments:

Code values:

FTX+FL2+++http?://www.supplyon.com/documente/link2.pdf

Formal description of segments

Group: **SG26** Status: R Max. Occ.: 999 LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51

Segment: **FTX** cons. No85 Level: 2 **Free text**
 Status: C Max. Occ.: 1

Description: FTX

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
FTX		C	FTX		
4451	Text subject code qualifier	M an..3	+FL3	FL3 LinkText 3	
4453	Text function, coded	N	+		
C107	Text reference	N			
4441	Free text value code	N	+		
C108	Text literal	C			
4440	Free text value	M an..250	+http?:// www. supplyon. com/ documente /link3.pdf	Value of Link 3	Positions Tab: Link

Comments:

Code values:

FTX+FL3+++http?://www.supplyon.com/documente/link3.pdf

Formal description of segments

Group: **SG26** Status: R Max. Occ.: 999 LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51

Segment: **FTX** cons. No86 Level: 2 **Free text**
 Status: C Max. Occ.: 1

Description: FTX

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
FTX		C	FTX		
4451	Text subject code qualifier	M an..3	+ACF	ACF Datetype	
4453	Text function, coded	N	+		
C107	Text reference	N			
4441	Free text value code	N	+		
C108	Text literal	C			
4440	Free text value	M an..250	+DELIVER Y/PICKUP'	Datetype	

Comments:

Special use case "NGTM Bosch" only

Code values:

FTX+ACF+++DELIVERY/PICKUP'

Formal description of segments

Group: **SG26** Status: R Max. Occ.: 999 LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51

Segment: **FTX** cons. No87 Level: 2 **Free text**
Status: C Max. Occ.: 1

Description: FTX

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
FTX		C	FTX		
4451	Text subject code qualifier	M an..3	+CHG	CHG Change information	
4453	Text function, coded	N	+		
C107	Text reference	N			
4441	Free text value code	N	+		
C108	Text literal	C			
4440	Free text value	M an..3	+1'	Action code	Positions Tab: Action Code

Comments:

Code values:

FTX+CHG+++1'

Formal description of segments

Group: **SG26** Status: R Max. Occ.: 999 LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51

Segment: **FTX** cons. No88 Level: 2 **Free text**
 Status: C Max. Occ.: 1

Description: FTX

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
FTX		C	FTX		
4451	Text subject code qualifier	M an..3	+PTY	PTY Position typ	
4453	Text function, coded	N	+		
C107	Text reference	N			
4441	Free text value code	N	+		
C108	Text literal	C			
4440	Free text value	M an..3	+1'	Position typ	Positions Tab: Pos-Type

Comments:

Code values:

FTX+PTY+++1'

Formal description of segments

Group: **SG26** Status: R Max. Occ.: 999 LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51

Segment: **FTX** cons. No89 Level: 2 **Free text**
Status: C Max. Occ.: 1

Description: FTX

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
FTX		C	FTX		
4451	Text subject code qualifier	M an..3	+SUR	SUR Supplier remarks	
4453	Text function, coded	N	+		
C107	Text reference	N			
4441	Free text value code	N	+		
C108	Text literal	R			
4440	Free text value	M an..255	+X'	Comment on position level	Line Items Tab in section Supplier Response: Comment

Comments:

Code values:
FTX+SUR+++X'

Formal description of segments

Group: **SG26** Status: R Max. Occ.: 999 LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51

Segment: **FTX** cons. No90 Level: 2 **Free text**
Status: C Max. Occ.: 1

Description: FTX

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
FTX		C	FTX		
4451	Text subject code qualifier	M an..3	+AFL	AFL Customer remarks	
4453	Text function, coded	N	+		
C107	Text reference	N			
4441	Free text value code	N	+		
C108	Text literal	R			
4440	Free text value	M an..255	+X'	Comment on position level	Line Items Tab in section Supplier Response: Customer comment

Comments:

Code values:
FTX+AFL+++X'

Formal description of segments

Group: **SG26** Status: R Max. Occ.: 999 LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51

Group: **SG30** Status: C Max. Occ.: 1 PRI-CUX

Segment: **PRI** cons. No91 Level: 2 **Price details**
Status: C Max. Occ.: 1

Description: PRI

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
PRI		C	PRI		
C509	Price information	R			
5125	Price qualifier	M an..3	+AAA	AAA Calculation net	
5118	Price	R n..13	:120.25		Positions tab: Price per price unit (w. ICMS)
5375	Price type, coded	N	:		
5387	Price specification code	N	:		
5284	Unit price basis	C n..9	:100'	Price unit	Positions tab: Price Unit

Comments:

Code values:

PRI+AAA:120.25:::100'

Formal description of segments

Group: **SG26** Status: R Max. Occ.: 999 LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51

Group: **SG30** Status: C Max. Occ.: 1 PRI-CUX

Segment: **CUX** cons. No92 Level: 3 **Currencies**
 Status: C Max. Occ.: 1

Description: CUX

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
CUX		C	CUX		
C504	Currency details	R			
6347	Currency details qualifier	M an..3	+2	2 Reference currency	
6345	Currency identification code	R an..3	:EUR'		Positions Tab: Added to every monetary amount

Comments:

Code values:

CUX+2:EUR'

Formal description of segments

Group: **SG26** Status: R Max. Occ.: 999 LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51

Group: **SG31** Status: C Max. Occ.: 1 RFF

Special use case "Demand Reminder" only

Segment: **RFF** cons. No93 Level: 2 **Reference**
 Status: M Max. Occ.: 1

Description: RFF

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
RFF		M	RFF		
C506	Reference	M			
1153	Reference function code qualifier	M an..3	+AAN	AAN Delivery schedule number	
1154	Reference identifier	C an..35	:55001236'		Positions Tab: Contract Details = Delivery Instruction Number

Comments:

Special use case "Demand Reminder" only

Code values:

RFF+AAN:55001236'

Formal description of segments

Group: **SG26** Status: R Max. Occ.: 999 LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51

Group: **SG31** Status: C Max. Occ.: 1 RFF

Segment: **RFF** cons. No94 Level: 2 **Reference**
 Status: M Max. Occ.: 1

Description: RFF

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
RFF		M	RFF		
C506	Reference	M			
1153	Reference function code qualifier	M an..3	+SS	SS Sellers reference number	
1154	Reference identifier	C an..20	: 88045127A '		Positions Tab: Supplier's Reference

Comments:

Code values:

RFF+SS:88045127A'

Formal description of segments

Group: **SG26** Status: R Max. Occ.: 999 LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51

Group: **SG31** Status: C Max. Occ.: 1 RFF

Segment: **RFF** cons. No95 Level: 2 **Reference**
Status: M Max. Occ.: 1

Description: RFF

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
RFF		M	RFF		
C506	Reference	M			
1153	Reference function code qualifier	M an..3	+AAJ	AAJ Supply contract number	
1154	Reference identifier	C an..35	: 88045127A		Positions Tab: Contract Data
1156	Line number	C an..6	:10'	Contract Position	Demand Reminder: Contract Details => Contract Position

Comments:

Code values:
RFF+AAJ:88045127A:10'

Formal description of segments

Group: **SG26** Status: R Max. Occ.: 999 LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51

Group: **SG31** Status: D Max. Occ.: 1 RFF

Special use case "Drop Shipment" only

Segment: **RFF** cons. No96 Level: 2 **Reference**
 Status: M Max. Occ.: 1

Description: RFF

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
RFF		M	RFF		
C506	Reference	M			
1153	Reference function code qualifier	M an..3	+UC	UC Ultimate customer's reference number	
1154	Reference identifier	R an..10	: 15102007J K'	Kundenauftragsnummer (Händler)	Positions Tab: Dealer Order Number

Comments:

Special use case "Drop Shipment" only

Code values:

RFF+UC:15102007JK'

Formal description of segments

Group: **SG26** Status: R Max. Occ.: 999 LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51

Group: **SG32** Status: C Max. Occ.: 3 PAC-MEA-QTY-SG33

Special use case "Material Status" only

Segment: **PAC** cons. No97 Level: 2 **Package**
 Status: M Max. Occ.: 1

Description: PAC

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
PAC		M	PAC		
7224	Number of packages	C n..8	+9	number of packages	
C531	Packaging details	N			
7075	Packaging level, coded	N	+		
C202	Package type	R			
7065	Package type description code	N	+		
1131	Code list identification code	N	:		
3055	Code list responsible agency code	N	:		
7064	Type of packages	R an..22	:KLT-4711'	package description (code number packages)	

Comments:

Special use case "Material Status" only

Code values:

PAC+9++:::KLT-4711'

Formal description of segments

Group: **SG26** Status: R Max. Occ.: 999 LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51

Group: **SG32** Status: C Max. Occ.: 3 PAC-MEA-QTY-SG33

Special use case "Material Status" only

Segment: **MEA** cons. No98 Level: 3 **Measurements**
 Status: C Max. Occ.: 5

Description: MEA

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
MEA		C			
6311	Measurement attribute code	M an..3	+WT	WT Weights	
C502	Measurement details	N			
6313	Measured attribute code	N	+		
C174	Value/range	C			
6411	Measurement unit code	M an..3	+KGM		
6314	Measurement value	C an..18	:9'		

Comments:

Special use case "Material Status" only

Code values:

MEA+WT++KGM:9'

Formal description of segments

Group: **SG26** Status: R Max. Occ.: 999 LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51

Group: **SG32** Status: C Max. Occ.: 3 PAC-MEA-QTY-SG33

Special use case "Material Status" only

Segment: **QTY** cons. No99 Level: 3 **Quantity**
Status: C Max. Occ.: 1

Description: **QTY**

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
QTY		C	QTY		
C186	Quantity details	M			
6063	Quantity type code qualifier	M an..3	+52	52 Quantity per pack	
6060	Quantity	M n..17	:100		
6411	Measurement unit code	R an..3	:EA'	Quantity unit EA each MTR metre MTK square metre MTQ cubic metre LTR litre TNE tonne (metric ton) KGM kilogram GRM gram MMT millimetre SET set PR pair DAY day HUR hour	

Comments:

Special use case "Material Status" only

Code values:

QTY+52:100:EA'

Formal description of segments

Group: **SG26** Status: R Max. Occ.: 999 LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51

Group: **SG32** Status: C Max. Occ.: 3 PAC-MEA-QTY-SG33

Special use case "Material Status" only

Group: **SG33** Status: C Max. Occ.: 1 RFF-DTM

Segment: **RFF** cons. No 100 Level: 3 **Reference**
Status: M Max. Occ.: 1

Description: RFF

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
RFF		M			
C506	Reference	M			
1153	Reference function code qualifier	M an..3	+AQK	AQK Status report number	
1154	Reference identifier	C an..35	:X'	Y Material Status "ready for pickup"	
				N Material Status "not ready for pickup"	

Comments:

Special use case "Material Status" only

Code values:

RFF+AQK:X'

Formal description of segments

Group: **SG26** Status: R Max. Occ.: 999 LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51

Group: **SG32** Status: C Max. Occ.: 3 PAC-MEA-QTY-SG33

Special use case "Material Status" only

Group: **SG33** Status: C Max. Occ.: 1 RFF-DTM

Segment: **DTM** cons. No 101 Level: 4 **Date/time/period**
 Status: C Max. Occ.: 5

Description: **DTM**

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
DTM		C			
C507	Date/time/period	M			
2005	Date/time/period function code qualifier	M an..3	+334	334 Status change date/ time	
2380	Date/time/period value	C an..35	:X		
2379	Date/time/period format code	C an..3	:102'	102 CCYYMMDD	

Comments:

Special use case "Material Status" only

Code values:

DTM+334:X:102'

Formal description of segments

Group: **SG26** Status: R Max. Occ.: 999 LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51

Group: **SG36** Status: C Max. Occ.: 10 TAX-MOA

Segment: **TAX** cons. No 102 Level: 2 **Duty/tax/fee details**
Status: M Max. Occ.: 1

Description: TAX

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
TAX		M			
5283	Duty/tax/fee function qualifier	M an..3	+7	7 Tax	
C241	Duty/tax/fee type	C			
5153	Duty/tax/fee type name code	C an..3	+VAT	VAT Value added tax	
C533	Duty/tax/fee account detail	N			
5289	Duty/tax/fee account identification	N	+		
5286	Duty/tax/fee assessment basis	N	+		
C243	Duty/tax/fee detail	C			
5279	Duty/tax/fee rate identification	N	+		
1131	Code list identification code	N	:		
3055	Code list responsible agency code	N	:		
5278	Duty/tax/fee rate	C an..17	:19'	Tax in %	Positions Tab: IPI%

Comments:

Code values:

TAX+7+VAT+++:::19'

Formal description of segments

Group: **SG26** Status: R Max. Occ.: 999 LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51

Group: **SG36** Status: C Max. Occ.: 10 TAX-MOA

Segment: **MOA** cons. No 103 Level: 3 **Monetary amount**
 Status: C Max. Occ.: 1

Description: MOA

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
MOA		C			
C516	Monetary amount	M			
5025	Monetary amount type code qualifier	M an..3	+128	128 Total amount	
5004	Monetary amount value	C n..35	:1002.80'		Positions Tab: Gross Price

Comments:

Code values:

MOA+128:1002.80'

Formal description of segments

Group: **SG26** Status: R Max. Occ.: 999 LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51

Group: **SG36** Status: C Max. Occ.: 10 TAX

Segment: **TAX** cons. No 104 Level: 2 **Duty/tax/fee details**
Status: M Max. Occ.: 1

Description: TAX

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
TAX		M			
5283	Duty/tax/fee function qualifier	M an..3	+7	7 Tax	
C241	Duty/tax/fee type	C			
5153	Duty/tax/fee type name code	C an..3	+SUR	SUR Surtax	
C533	Duty/tax/fee account detail	N			
5289	Duty/tax/fee account identification	N	+		
5286	Duty/tax/fee assessment basis	N	+		
C243	Duty/tax/fee detail	C			
5279	Duty/tax/fee rate identification	N	+		
1131	Code list identification code	N	:		
3055	Code list responsible agency code	N	:		
5278	Duty/tax/fee rate	C an..17	:20'	Tax in %	Positions Tab: ICMS%

Comments:

Code values:

TAX+7+SUR+++:::20'

Formal description of segments

Group: **SG26** Status: R Max. Occ.: 999 LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51

Group: **SG37** Status: D Max. Occ.: 1 NAD-LOC-SG38-SG40

Segment: **NAD** cons. No 105 Level: 2 **Name and address (consignee)**
Status: M Max. Occ.: 1

Description: **NAD**

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
NAD		M	NAD		
3035	Party function code qualifier	M an..3	+CN	CN Consignee	
C082	Party identification details	R			
3039	Party identifier	M an..20	+00700899	Number of customer' plant	Positions Tab: Consignee => Plant No.
1131	Code list identification code	N	:		
3055	Code list responsible agency code	R an..3	:92	92 Assigned by buyer or buyer's agent	
C058	Name and address	N			
3124	Name and address line	N	+		
C080	Party name	R			
3036	Party name	M an..35	+Consignee GmbH & Co. KG	Name/address consignee	Positions Tab: Consignee
3036	Party name	C an..35	:Consignee Name2	Name2 consignee	Positions Tab: Consignee
3036	Party name	C an..35	:Consignee Name3	Name3 consignee	Positions Tab: Consignee
3036	Party name	C an..35	:Consignee Name4	Name4 consignee	Positions Tab: Consignee
C059	Street	R			
3042	Street and number/p.o. box	M an..35	+Burgweg 341	Consignee's address	Positions Tab: Consignee
3164	City name	R an..35	+Hamburg		Positions Tab: Consignee
C819	Country sub-entity details	N			
3229	Country sub-entity name code	N	+		
3251	Postal identification code	C an..17	+12366		Positions Tab: Consignee
3207	Country name code	C an..3	+DE'	DE GERMANY	Positions Tab: Consignee

Comments:

This segment is only allowed if there is no NAD segment on header-level with an existing qualifier CN.

Code values:

NAD+CN+00700899::92++Consignee GmbH & Co. KG:Consignee Name2:Consignee Name3:Consignee Name4+Burgweg 341+Hamburg++12366+DE'

Formal description of segments

Group: **SG26** Status: R Max. Occ.: 999 LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51

Group: **SG37** Status: D Max. Occ.: 1 NAD-LOC-SG38-SG40

Segment: **LOC** cons. No 106 Level: 3 **Place/location identification**
Status: C Max. Occ.: 1

Description: LOC

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
LOC		C	LOC		
3227	Location function code qualifier	M an..3	+11	11 Dock	
C517	Location identification	R			
3225	Location name code	R an..25	+DOCK13'	Unloading Point	Positions Tab: Consignee => Unloading Point

Comments:

Code values:

LOC+11+DOCK13'

Formal description of segments

Group: **SG26** Status: R Max. Occ.: 999 LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51

Group: **SG37** Status: D Max. Occ.: 1 NAD-LOC-SG38-SG40

Segment: **LOC** cons. No 107 Level: 3 **Place/location identification**
 Status: C Max. Occ.: 1

Description: LOC

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
LOC		C	LOC		
3227	Location function code qualifier	M an..3	+18	18 Warehouse	
C517	Location identification	R			
3225	Location name code	R an..20	+Warehous e14'		Positions Tab: Consignee => Warehouse

Comments:

Code values:

LOC+18+Warehouse14'

Formal description of segments

Group: **SG26** Status: R Max. Occ.: 999 LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51

Group: **SG37** Status: D Max. Occ.: 1 NAD-LOC-SG38-SG40

Segment: **LOC** cons. No 108 Level: 3 **Place/location identification**
 Status: C Max. Occ.: 1

Description: LOC

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
LOC		C	LOC		
3227	Location function code qualifier	M an..3	+159	159 Consumption place	
C517	Location identification	R			
3225	Location name code	R an..20	+PointOfConsumption15'		Positions Tab: Consignee => Point of Consumption

Comments:

Code values:

LOC+159+PointOfConsumption15'

Formal description of segments

Group:	SG26	Status: R	Max. Occ.: 999	LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51
Group:	SG37	Status: D	Max. Occ.: 1	NAD-LOC-SG38-SG40
Group:	SG38	Status: C	Max. Occ.: 1	RFF
Segment:	RFF	cons. No 109 Status: M	Level: 3 Max. Occ.: 1	Reference

Description: RFF

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
RFF		M	RFF		
C506	Reference	M			
1153	Reference function code qualifier	M an..3	+VA	VA Value added tax identification number	
1154	Reference identifier	R an..20	: 001002993'	Value added tax identification number of the consignee	Positions Tab: Consignee => VAT No.

Comments:

Code values:

RFF+VA:001002993'

Formal description of segments

Group:	SG26	Status: R	Max. Occ.: 999	LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51
Group:	SG37	Status: D	Max. Occ.: 1	NAD-LOC-SG38-SG40
Group:	SG38	Status: C	Max. Occ.: 1	RFF
Segment:	RFF	cons. No 110 Status: M	Level: 3 Max. Occ.: 1	Reference

Description: RFF

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
RFF	Reference	M	RFF		
C506	Reference	M			
1153	Reference function code qualifier	M an..3	+ARB	ARB Prior Data Universal Number System (DUNS) number	
1154	Reference identifier	R an..14	: 006005004'	DUNS-number of the consignee	Positions Tab: Consignee => DUNS

Comments:

Code values:

RFF+ARB:006005004'

Formal description of segments

Group:	SG26	Status: R	Max. Occ.: 999	LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51
Group:	SG37	Status: D	Max. Occ.: 1	NAD-LOC-SG38-SG40
Group:	SG40	Status: C	Max. Occ.: 1	CTA-COM
Segment:	CTA	cons. No 111 Status: M	Level: 3 Max. Occ.: 1	Contact information

Description: CTA

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
CTA		M	CTA		
3139	Contact function code	R an..3	+DL	DL Delivery contact	
C056	Department or employee details	C			
3413	Department or employee identification	C an..35	+EKCT 001	Department	Positions Tab: Consignee => Department
3412	Department or employee	C an..35	:Konrad Meier'	Name of the contact person	Positions Tab: Consignee => Contact

Comments:

Code values:

CTA+DL+EKCT 001:Konrad Meier'

Formal description of segments

Group:	SG26	Status: R	Max. Occ.: 999	LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51
Group:	SG37	Status: D	Max. Occ.: 1	NAD-LOC-SG38-SG40
Group:	SG40	Status: C	Max. Occ.: 1	CTA-COM
Segment:	COM	cons. No 112 Status: C	Level: 4 Max. Occ.: 1	Communication contact

Description: COM

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
COM		C	COM		
C076	Communication contact	M			
3148	Communication number	M an..30	+040195588784	phonenumber contact person	Positions Tab: Consignee => Phone
3155	Communication number code qualifier	M an..3	:TE'	TE phone	

Comments:

Code values:
 COM+040195588784:TE'

Formal description of segments

Group:	SG26	Status: R	Max. Occ.: 999	LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51
Group:	SG37	Status: D	Max. Occ.: 1	NAD-LOC-SG38-SG40
Group:	SG40	Status: C	Max. Occ.: 1	CTA-COM
Segment:	COM	cons. No 113 Status: C	Level: 4 Max. Occ.: 1	Communication contact

Description: COM

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
COM		C	COM		
C076	Communication contact	M			
3148	Communication number	M an..30	+040195588794	Fax-No of the consignee	Positions Tab: Consignee => Fax
3155	Communication number code qualifier	M an..3	:FX'	FX Telefax	

Comments:

Code values:
COM+040195588794:FX'

Formal description of segments

Group:	SG26	Status: R	Max. Occ.: 999	LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51
Group:	SG37	Status: D	Max. Occ.: 1	NAD-LOC-SG38-SG40
Group:	SG40	Status: C	Max. Occ.: 1	CTA-COM
Segment:	COM	cons. No 114 Status: C	Level: 4 Max. Occ.: 1	Communication contact

Description: COM

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
COM		C	COM		
C076	Communication contact	M			
3148	Communication number	M an..50	+K. Meier@buyer.de	Conignee's email address	Positions Tab: Consignee => E-mail
3155	Communication number code qualifier	M an..3	:EM'	EM eMail	

Comments:

Code values:

COM+K.Meier@buyer.de:EM'

Formal description of segments

Group: **SG26** Status: R Max. Occ.: 999 LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51

Group: **SG37** Status: C Max. Occ.: 1 NAD-SG40

Segment: **NAD** cons. No 115 Level: 2 **Name and address (Material Planner)**
Status: M Max. Occ.: 1

Description: NAD

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
NAD		M	NAD		
3035	Party function code qualifier	M an..3	+GM	GM Material Planner	
C082	Party identification details	R			
3039	Party identifier	M an..35	+3333	Planner number This Field content will be displayed in Web Application	Positions Tab: Planner
1131	Code list identification code	N	:		
3055	Code list responsible agency code	R an..3	:92	92 Assigned by buyer or buyer's agent	
C058	Name and address	N			
3124	Name and address line	N	+		
C080	Party name	C			
3036	Party name	M an..35	+Harald Strunz'	Planner name This field content is not used in ORDRSP	Demand Reminder: Positions Tab => Buyer Contact

Comments:

Code values:

NAD+GM+3333::92++Harald Strunz'

Formal description of segments

Group:	SG26	Status: R	Max. Occ.: 999	LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51
Group:	SG37	Status: C	Max. Occ.: 1	NAD-SG40
Group:	SG40	Status: C	Max. Occ.: 1	CTA-COM
Segment:	CTA	cons. No 116 Status: M	Level: 3 Max. Occ.: 1	Contact information

Description: CTA

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
CTA		M	CTA		
3139	Contact function code	R an..3	+DL	DL Delivery contact	
C056	Department or employee details	C			
3413	Department or employee identification	C an..35	+TC-512	Department	Demand Reminder: Positions Tab => Buyer Contact (Department)
3412	Department or employee	C an..35	:Harald Strunz'	Name of the contact person	Demand Reminder: Positions Tab => Buyer Contact (Name)

Comments:

Code values:

CTA+DL+TC-512:Harald Strunz'

Formal description of segments

Group:	SG26	Status: R	Max. Occ.: 999	LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51
Group:	SG37	Status: C	Max. Occ.: 1	NAD-SG40
Group:	SG40	Status: C	Max. Occ.: 1	CTA-COM
Segment:	COM	cons. No 117 Status: C	Level: 4 Max. Occ.: 1	Communication contact

Description: COM

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
COM		C	COM		
C076	Communication contact	M			
3148	Communication number	M an..30	+040195588784	phonenumber contact person	Demand Reminder: Positions Tab => Buyer Contact (Phone)
3155	Communication number code qualifier	M an..3	:TE'	TE phone	

Comments:

Code values:

COM+040195588784:TE'

Formal description of segments

Group:	SG26	Status: R	Max. Occ.: 999	LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51
Group:	SG37	Status: C	Max. Occ.: 1	NAD-SG40
Group:	SG40	Status: C	Max. Occ.: 1	CTA-COM
Segment:	COM	cons. No 118 Status: C	Level: 4 Max. Occ.: 1	Communication contact

Description: COM

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
COM		C	COM		
C076	Communication contact	M			
3148	Communication number	M an..30	+040195588794	Fax-No of the consignee	Demand Reminder: Positions Tab => Buyer Contact (Fax)
3155	Communication number code qualifier	M an..3	:FX'	FX Telefax	

Comments:

Code values:

COM+040195588794:FX'

Formal description of segments

Group:	SG26	Status: R	Max. Occ.: 999	LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51
Group:	SG37	Status: C	Max. Occ.: 1	NAD-SG40
Group:	SG40	Status: C	Max. Occ.: 1	CTA-COM
Segment:	COM	cons. No 119 Status: C	Level: 4 Max. Occ.: 1	Communication contact

Description: COM

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
COM		C	COM		
C076	Communication contact	M			
3148	Communication number	M an..50	+H. Strunz@bu yer.de	Conignee's email address	Demand Reminder: Positions Tab => Buyer Contact (E-mail)
3155	Communication number code qualifier	M an..3	:EM'	EM eMail	

Comments:

Code values:

COM+H.Strunz@buyer.de:EM'

Formal description of segments

Group: **SG26** Status: R Max. Occ.: 999 LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51

Group: **SG41** Status: C Max. Occ.: 12 ALC-SG43-SG44

Segment: **ALC** cons. No 120 Level: 2 **Allowance or charge**
Status: M Max. Occ.: 1

Description: ALC

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
ALC		M	ALC		
5463	Allowance or charge qualifier	M an..3	+M	M Surcharge on position level H Rebate on position level Please note that the type (surcharge or rebate) is finally set by the special service description code.	Positions Tab: Surcharges/Rebates => Type
C552	Allowance/charge information	N			
1230	Allowance or charge number	N	+		
4471	Settlement, coded	N	+		
1227	Calculation sequence indicator, coded	N	+		
C214	Special services identification	R			
7161	Special service description code	R an..3	+XYZ	Code of the surcharge or rebate type. This code has to be defined beforehand.	Positions Tab: Surcharges/Rebates => Mode
1131	Code list identification code	N	:		
3055	Code list responsible agency code	N	:		
7160	Special service description	N	:'		

Comments:

Special use case only. Surcharge/rebate by supplier has to be configured.

Code values:

ALC+M++++XYZ'

Formal description of segments

Group:	SG26	Status: R	Max. Occ.: 999	LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51
Group:	SG41	Status: C	Max. Occ.: 12	ALC-SG43-SG44
Group:	SG43	Status: C	Max. Occ.: 1	PCD
Segment:	PCD	cons. No 121 Status: M	Level: 3 Max. Occ.: 1	Percentage details

Description: PCD

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
PCD		M	PCD		
C501	Percentage details	M			
5245	Percentage type code qualifier	M an..3	+2		
5482	Percentage	D n..10	:2.5'	Surcharge/rebate in percent	Positions Tab: Surcharges/Rebates => Percentage

Comments:

Special use case only. Surcharge/rebate by supplier has to be configured.

Code values:

PCD+2:2.5'

Formal description of segments

Group:	SG26	Status: R	Max. Occ.: 999	LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51
Group:	SG41	Status: C	Max. Occ.: 12	ALC-SG43-SG44
Group:	SG44	Status: C	Max. Occ.: 1	MOA
Segment:	MOA	cons. No 122 Status: C	Level: 3 Max. Occ.: 1	Monetary amount

Description: MOA

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
MOA		C	MOA		
C516	Monetary amount	M			
5025	Monetary amount type code qualifier	M an..3	+8		
5004	Monetary amount value	R n..13	:12345.50'		Positions Tab: Surcharges/Rebates => Amount

Comments:

Special use case only. Surcharge/rebate by supplier has to be configured.

Code values:

MOA+8:12345.50'

Formal description of segments

Group: **SG26** Status: R Max. Occ.: 999 LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51

Group: **SG51** Status: C Max. Occ.: 1000 SCC-FTX-RFF-SG52

Segment: **SCC** cons. No 123 Level: 2 **Scheduling conditions**
Status: M Max. Occ.: 1

Description: SCC

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
SCC 4017	Delivery plan commitment level code	M M an..3	SCC +1'	1 2 3 4 9 10 Firm Commitment for manufacturing and material Commitment for material Planning/forecast User defined Immediate	

Comments:

Code values:

SCC+1'

Formal description of segments

Group: **SG26** Status: R Max. Occ.: 999 LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51

Group: **SG51** Status: C Max. Occ.: 1000 SCC-FTX-RFF-SG52

Segment: **FTX** cons. No 124 Level: 3 **Free text**
Status: C Max. Occ.: 1

Description: FTX

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
FTX		C	FTX		
4451	Text subject code qualifier	M an..3	+SUR	SUR Supplier remarks	
4453	Text function, coded	N	+		
C107	Text reference	N			
4441	Free text value code	N	+		
C108	Text literal	R			
4440	Free text value	C an..255	+Response 1'		Demand Reminder: Positions Tab => Schedule Lines (Free Text)

Comments:

Special use case "Demand Reminder" only

Code values:

FTX+SUR+++Response1'

Formal description of segments

Group: **SG26** Status: R Max. Occ.: 999 LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51

Group: **SG51** Status: C Max. Occ.: 1000 SCC-FTX-RFF-SG52

Segment: **FTX** cons. No 125 Level: 3 **Free text**
Status: C Max. Occ.: 1

Description: FTX

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
FTX		C	FTX		
4451	Text subject code qualifier	M an..3	+EUR	EUR Calculated Route name	
4453	Text function, coded	N	+		
C107	Text reference	N			
4441	Free text value code	N	+		
C108	Text literal	R			
4440	Free text value	C an..255	+AVERAG E CALCULA TION'		Due Delivery: Column "Route name"

Comments:

Special use case "NGTM Bosch" only

Code values:

FTX+EUR+++AVERAGE CALCULATION'

Formal description of segments

Group: **SG26** Status: R Max. Occ.: 999 LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51

Group: **SG51** Status: C Max. Occ.: 1000 SCC-FTX-RFF-SG52

Segment: **RFF** cons. No 126 Level: 3 **Reference**
Status: C Max. Occ.: 1

Description: RFF

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
RFF		C	RFF		
C506	Reference	M			
1153	Reference function code qualifier	M an..3	+LI	LI Line item reference number	
1154	Reference identifier	C an..35	:123456'	Schedule line ID	

Comments:

Code values:
RFF+LI:123456'

Formal description of segments

Group:	SG26	Status: R	Max. Occ.: 999	LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51
Group:	SG51	Status: C	Max. Occ.: 1000	SCC-FTX-RFF-SG52
Group:	SG52	Status: C	Max. Occ.: 1	QTY-DTM
Segment:	QTY	cons. No 127 Status: M	Level: 3 Max. Occ.: 1	Quantity

Description: QTY

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
QTY		M	QTY		
C186	Quantity details	M			
6063	Quantity type code qualifier	M an..3	+113	113 Quantity to be delivered	
6060	Quantity	M n..17	:9558		Positions Tab: Order Qty
6411	Measurement unit code	R an..3	:EA'	Quantity unit EA each MTR metre MTK square metre MTQ cubic metre LTR litre TNE tonne (metric ton) KGM kilogram GRM gram MMT millimetre SET set PR pair DAY day HUR hour	Positions Tab: Order Uom

Comments:

Code values:

QTY+113:9558:EA'

Formal description of segments

Group:	SG26	Status: R	Max. Occ.: 999	LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51
Group:	SG51	Status: C	Max. Occ.: 1000	SCC-FTX-RFF-SG52
Group:	SG52	Status: C	Max. Occ.: 1	QTY-DTM
Segment:	DTM	cons. No 128 Status: C	Level: 4 Max. Occ.: 1	Date/time/period

Description: DTM

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
DTM		C	DTM		
C507	Date/time/period	M			
2005	Date/time/period function code qualifier	M an..3	+55	55 Confirmed date/time	
2380	Date/time/period value	R n..12	: 200305301 130		Positions Tab: First Delivery Date
2379	Date/time/period format code	R an..3	:203'	102 JJJJMMTT 203 CCYYMMDDHHMM	

Comments:

Code values:

DTM+55:200305301130:203'

Formal description of segments

Group:	SG26	Status: R	Max. Occ.: 999	LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51
Group:	SG51	Status: C	Max. Occ.: 1000	SCC-FTX-RFF-SG52
Group:	SG52	Status: C	Max. Occ.: 1	QTY-DTM
Segment:	DTM	cons. No 129 Status: C	Level: 4 Max. Occ.: 1	Date/time/period

Description: DTM

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
DTM		C	DTM		
C507	Date/time/period	M			
2005	Date/time/period function code qualifier	M an..3	+132	132 Calculated Delivery Date	
2380	Date/time/period value	R n..12	:20251113		
2379	Date/time/period format code	R an..3	:102'	102 JJJJMMTT	

Comments:

Special use case "NGTM Bosch" only

Code values:

DTM+132:20251113:102'

Formal description of segments

Group:	SG26	Status: R	Max. Occ.: 999	LIN-PIA-IMD-QTY-ALI-DTM-FTX-SG30-SG31-SG32-SG36-SG37-SG41-SG51
Group:	SG51	Status: C	Max. Occ.: 1000	SCC-FTX-RFF-SG52
Group:	SG52	Status: C	Max. Occ.: 1	QTY-DTM
Segment:	DTM	cons. No 130 Status: C	Level: 4 Max. Occ.: 1	Date/time/period

Description: DTM

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
DTM		C	DTM		
C507	Date/time/period	M			
2005	Date/time/period function code qualifier	M an..3	+11	11	Calculated Pickup Date
2380	Date/time/period value	R n..12	:20251113		
2379	Date/time/period format code	R an..3	:102'	102	JJJJMMTT

Comments:

Special use case "NGTM Bosch" only

Code values:

DTM+11:20251113:102'

Formal description of segments

Segment: **UNS** cons. No 131 Level: 0 **Section control**
 Status: M Max. Occ.: 1

Description: UNS

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
UNS 0081	Section identification	M M a1	UNS +D'		

Comments:

Code values:

UNS+D'

Formal description of segments

Segment: **UNT** cons. No 132 Level: 0 **Message trailer**
 Status: M Max. Occ.: 1

Description: UNT

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
UNT		M	UNT		
0074	Number of segments in the message	M n..6	+121		
0062	Message reference number	M an..14	+1'	references with UNH.0062	

Comments:

Code values:

UNT+121+1'

Formal description of segments

Segment: **UNZ** cons. No 133 Level: 0 **Interchange trailer**
 Status: M Max. Occ.: 1

Description: UNZ

EDIFACT ORDRSP_PO D99.B					
Seg.	Description	St Format SupplyOn	Example	Remark	Application
UNZ		M	UNZ		
0036	Interchange control count	M n..6	+1	number of messages	
0020	Interchange control reference	M an..14	+0471104812'	references with UNB.0020	

Comments:

Code values:

UNZ+1+0471104812'