

Code usage

List of valid EDIFACT-Codes (CO) and user-defined codes (CU), sorted by data elements and code keys.

| No. | SE | DEG | DE | Code | Codename | Ct |
|-----|-----|------|------|------|--------------------------------------|----|
| 4 | BGM | C002 | 1001 | 236 | Delivery forecast | X |
| 5 | DTM | C507 | 2005 | 137 | Document/message date/time | X |
| 5 | DTM | C507 | 2379 | 203 | CCYYMMDDHHMM | X |
| 6 | DTM | C507 | 2005 | ZZZ | Mutually defined | X |
| 6 | DTM | C507 | 2379 | 203 | CCYYMMDDHHMM | X |
| 7 | NAD | | 3035 | BY | Buyer | X |
| 7 | NAD | C082 | 3055 | 92 | Assigned by buyer or buyer's agent | X |
| 8 | NAD | | 3035 | SE | Seller | X |
| 8 | NAD | C082 | 3055 | 92 | Assigned by buyer or buyer's agent | X |
| 10 | NAD | | 3035 | DP | Delivery party | X |
| 10 | NAD | C082 | 3055 | 92 | Assigned by buyer or buyer's agent | X |
| 11 | LIN | C212 | 3055 | 92 | Assigned by buyer or buyer's agent | X |
| 11 | LIN | C212 | 7143 | BP | | X |
| 12 | PIA | C212 | 3055 | 91 | Assigned by seller or seller's agent | X |
| 12 | PIA | | 4347 | 1 | Additional identification | X |
| 12 | PIA | C212 | 7143 | VP | | X |
| 13 | IMD | C273 | 3055 | 92 | Assigned by buyer or buyer's agent | X |
| 13 | IMD | | 7077 | F | Free-form | X |
| 13 | IMD | C272 | 7081 | 2 | General product form | X |
| 14 | IMD | C273 | 3055 | 91 | Assigned by seller or seller's agent | X |
| 14 | IMD | | 7077 | F | Free-form | X |
| 14 | IMD | C272 | 7081 | 2 | General product form | X |
| 16 | DTM | C507 | 2005 | 449 | Date for the last update | X |
| 16 | DTM | C507 | 2379 | 203 | CCYYMMDDHHMM | X |
| 17 | DTM | C507 | 2005 | 366 | Inventory report date | X |
| 17 | DTM | C507 | 2379 | 203 | CCYYMMDDHHMM | X |
| 18 | RFF | C506 | 1153 | ON | Order number (purchase) | X |
| 19 | QTY | C186 | 6063 | 145 | Actual stock | X |
| 19 | QTY | C186 | 6411 | CLT | each | X |
| 19 | QTY | C186 | 6411 | CMT | each | X |
| 19 | QTY | C186 | 6411 | EA | each | X |
| 19 | QTY | C186 | 6411 | GRM | each | X |
| 19 | QTY | C186 | 6411 | KGM | each | X |
| 19 | QTY | C186 | 6411 | KTM | each | X |
| 19 | QTY | C186 | 6411 | LTR | each | X |
| 19 | QTY | C186 | 6411 | MGM | each | X |
| 19 | QTY | C186 | 6411 | MMT | each | X |
| 19 | QTY | C186 | 6411 | MTK | each | X |
| 19 | QTY | C186 | 6411 | MTQ | each | X |
| 19 | QTY | C186 | 6411 | MTR | each | X |
| 20 | QTY | C186 | 6063 | 17 | Quantity on hand | X |
| 20 | QTY | C186 | 6411 | CLT | each | X |
| 20 | QTY | C186 | 6411 | CMT | each | X |

Note: Column Ct specifies whether the code is an EDIFACT code (.CO) or a user-defined (.CU) code.

Code usage

List of valid EDIFACT-Codes (CO) and user-defined codes (CU), sorted by data elements and code keys.

| No. | SE | DEG | DE | Code | Codename | Ct |
|-----|-----|------|------|------|----------------------|----|
| 20 | QTY | C186 | 6411 | EA | each | X |
| 20 | QTY | C186 | 6411 | GRM | each | X |
| 20 | QTY | C186 | 6411 | KGM | each | X |
| 20 | QTY | C186 | 6411 | KTM | each | X |
| 20 | QTY | C186 | 6411 | LTR | each | X |
| 20 | QTY | C186 | 6411 | MGM | each | X |
| 20 | QTY | C186 | 6411 | MMT | each | X |
| 20 | QTY | C186 | 6411 | MTK | each | X |
| 20 | QTY | C186 | 6411 | MTQ | each | X |
| 20 | QTY | C186 | 6411 | MTR | each | X |
| 21 | QTY | C186 | 6063 | 89 | Quality control held | X |
| 21 | QTY | C186 | 6411 | CLT | each | X |
| 21 | QTY | C186 | 6411 | CMT | each | X |
| 21 | QTY | C186 | 6411 | EA | each | X |
| 21 | QTY | C186 | 6411 | GRM | each | X |
| 21 | QTY | C186 | 6411 | KGM | each | X |
| 21 | QTY | C186 | 6411 | KTM | each | X |
| 21 | QTY | C186 | 6411 | LTR | each | X |
| 21 | QTY | C186 | 6411 | MGM | each | X |
| 21 | QTY | C186 | 6411 | MMT | each | X |
| 21 | QTY | C186 | 6411 | MTK | each | X |
| 21 | QTY | C186 | 6411 | MTQ | each | X |
| 21 | QTY | C186 | 6411 | MTR | each | X |
| 22 | QTY | C186 | 6063 | 20 | Unusable quantity | X |
| 22 | QTY | C186 | 6411 | CLT | each | X |
| 22 | QTY | C186 | 6411 | CMT | each | X |
| 22 | QTY | C186 | 6411 | EA | each | X |
| 22 | QTY | C186 | 6411 | GRM | each | X |
| 22 | QTY | C186 | 6411 | KGM | each | X |
| 22 | QTY | C186 | 6411 | KTM | each | X |
| 22 | QTY | C186 | 6411 | LTR | each | X |
| 22 | QTY | C186 | 6411 | MGM | each | X |
| 22 | QTY | C186 | 6411 | MMT | each | X |
| 22 | QTY | C186 | 6411 | MTK | each | X |
| 22 | QTY | C186 | 6411 | MTQ | each | X |
| 22 | QTY | C186 | 6411 | MTR | each | X |
| 23 | QTY | C186 | 6063 | 152 | Quantity on hand | X |
| 23 | QTY | C186 | 6411 | CLT | each | X |
| 23 | QTY | C186 | 6411 | CMT | each | X |
| 23 | QTY | C186 | 6411 | EA | each | X |
| 23 | QTY | C186 | 6411 | GRM | each | X |
| 23 | QTY | C186 | 6411 | KGM | each | X |
| 23 | QTY | C186 | 6411 | KTM | each | X |

Note: Column Ct specifies whether the code is an EDIFACT code (.CO) or a user-defined (.CU) code.

Code usage

List of valid EDIFACT-Codes (CO) and user-defined codes (CU), sorted by data elements and code keys.

| No. | SE | DEG | DE | Code | Codename | Ct |
|-----|-----|------|------|------|-------------------|----|
| 23 | QTY | C186 | 6411 | LTR | each | X |
| 23 | QTY | C186 | 6411 | MGM | each | X |
| 23 | QTY | C186 | 6411 | MMT | each | X |
| 23 | QTY | C186 | 6411 | MTK | each | X |
| 23 | QTY | C186 | 6411 | MTQ | each | X |
| 23 | QTY | C186 | 6411 | MTR | each | X |
| 24 | QTY | C186 | 6411 | CLT | each | X |
| 24 | QTY | C186 | 6411 | CMT | each | X |
| 24 | QTY | C186 | 6411 | EA | each | X |
| 24 | QTY | C186 | 6411 | GRM | each | X |
| 24 | QTY | C186 | 6411 | KGM | each | X |
| 24 | QTY | C186 | 6411 | KTM | each | X |
| 24 | QTY | C186 | 6411 | LTR | each | X |
| 24 | QTY | C186 | 6411 | MGM | each | X |
| 24 | QTY | C186 | 6411 | MMT | each | X |
| 24 | QTY | C186 | 6411 | MTK | each | X |
| 24 | QTY | C186 | 6411 | MTQ | each | X |
| 24 | QTY | C186 | 6411 | MTR | each | X |
| 25 | QTY | C186 | 6411 | CLT | each | X |
| 25 | QTY | C186 | 6411 | CMT | each | X |
| 25 | QTY | C186 | 6411 | EA | each | X |
| 25 | QTY | C186 | 6411 | GRM | each | X |
| 25 | QTY | C186 | 6411 | KGM | each | X |
| 25 | QTY | C186 | 6411 | KTM | each | X |
| 25 | QTY | C186 | 6411 | LTR | each | X |
| 25 | QTY | C186 | 6411 | MGM | each | X |
| 25 | QTY | C186 | 6411 | MMT | each | X |
| 25 | QTY | C186 | 6411 | MTK | each | X |
| 25 | QTY | C186 | 6411 | MTQ | each | X |
| 25 | QTY | C186 | 6411 | MTR | each | X |
| 26 | QTY | C186 | 6063 | 48 | Received quantity | X |
| 26 | QTY | C186 | 6411 | CLT | each | X |
| 26 | QTY | C186 | 6411 | CMT | each | X |
| 26 | QTY | C186 | 6411 | EA | each | X |
| 26 | QTY | C186 | 6411 | GRM | each | X |
| 26 | QTY | C186 | 6411 | KGM | each | X |
| 26 | QTY | C186 | 6411 | KTM | each | X |
| 26 | QTY | C186 | 6411 | LTR | each | X |
| 26 | QTY | C186 | 6411 | MGM | each | X |
| 26 | QTY | C186 | 6411 | MMT | each | X |
| 26 | QTY | C186 | 6411 | MTK | each | X |
| 26 | QTY | C186 | 6411 | MTQ | each | X |
| 26 | QTY | C186 | 6411 | MTR | each | X |

Note: Column Ct specifies whether the code is an EDIFACT code (.CO) or a user-defined (.CU) code.

Code usage

List of valid EDIFACT-Codes (CO) and user-defined codes (CU), sorted by data elements and code keys.

| No. | SE | DEG | DE | Code | Codename | Ct |
|-----|-----|------|------|------|------------------------------|----|
| 27 | DTM | C507 | 2005 | 50 | Goods receipt date/time | X |
| 27 | DTM | C507 | 2379 | 203 | CCYYMMDDHHMM | X |
| 28 | RFF | C506 | 1153 | AAU | Despatch note number | X |
| 29 | QTY | C186 | 6063 | 97 | Minimum inventory | X |
| 29 | QTY | C186 | 6411 | DAY | day | X |
| 30 | QTY | C186 | 6063 | 98 | Maximum inventory | X |
| 30 | QTY | C186 | 6411 | DAY | day | X |
| 31 | QTY | C186 | 6063 | 52 | Quantity per pack | X |
| 31 | QTY | C186 | 6411 | CLT | each | X |
| 31 | QTY | C186 | 6411 | CMT | each | X |
| 31 | QTY | C186 | 6411 | EA | each | X |
| 31 | QTY | C186 | 6411 | GRM | each | X |
| 31 | QTY | C186 | 6411 | KGM | each | X |
| 31 | QTY | C186 | 6411 | KTM | each | X |
| 31 | QTY | C186 | 6411 | LTR | each | X |
| 31 | QTY | C186 | 6411 | MGM | each | X |
| 31 | QTY | C186 | 6411 | MMT | each | X |
| 31 | QTY | C186 | 6411 | MTK | each | X |
| 31 | QTY | C186 | 6411 | MTQ | each | X |
| 31 | QTY | C186 | 6411 | MTR | each | X |
| 32 | QTY | C186 | 6063 | 12 | Despatch quantity | X |
| 32 | QTY | C186 | 6411 | CLT | each | X |
| 32 | QTY | C186 | 6411 | CMT | each | X |
| 32 | QTY | C186 | 6411 | EA | each | X |
| 32 | QTY | C186 | 6411 | GRM | each | X |
| 32 | QTY | C186 | 6411 | KGM | each | X |
| 32 | QTY | C186 | 6411 | KTM | each | X |
| 32 | QTY | C186 | 6411 | LTR | each | X |
| 32 | QTY | C186 | 6411 | MGM | each | X |
| 32 | QTY | C186 | 6411 | MMT | each | X |
| 32 | QTY | C186 | 6411 | MTK | each | X |
| 32 | QTY | C186 | 6411 | MTQ | each | X |
| 32 | QTY | C186 | 6411 | MTR | each | X |
| 33 | DTM | C507 | 2005 | 232 | Arrival date/time, scheduled | X |
| 33 | DTM | C507 | 2379 | 203 | CCYYMMDDHHMM | X |
| 34 | RFF | C506 | 1153 | AAK | Despatch advice number | X |
| 35 | SCC | | 4017 | 4 | Planning/forecast | X |
| 36 | QTY | C186 | 6063 | 131 | Delivery quantity | X |
| 36 | QTY | C186 | 6411 | CLT | each | X |
| 36 | QTY | C186 | 6411 | CMT | each | X |
| 36 | QTY | C186 | 6411 | EA | each | X |
| 36 | QTY | C186 | 6411 | GRM | each | X |
| 36 | QTY | C186 | 6411 | KGM | each | X |

Note: Column Ct specifies whether the code is an EDIFACT code (.CO) or a user-defined (.CU) code.

Code usage

List of valid EDIFACT-Codes (CO) and user-defined codes (CU), sorted by data elements and code keys.

| No. | SE | DEG | DE | Code | Codename | Ct |
|-----|-----|------|------|------|--------------------|----|
| 36 | QTY | C186 | 6411 | KTM | each | X |
| 36 | QTY | C186 | 6411 | LTR | each | X |
| 36 | QTY | C186 | 6411 | MGM | each | X |
| 36 | QTY | C186 | 6411 | MMT | each | X |
| 36 | QTY | C186 | 6411 | MTK | each | X |
| 36 | QTY | C186 | 6411 | MTQ | each | X |
| 36 | QTY | C186 | 6411 | MTR | each | X |
| 37 | DTM | C507 | 2005 | 158 | Horizon start date | X |
| 37 | DTM | C507 | 2005 | 159 | Horizon start date | X |
| 37 | DTM | C507 | 2005 | 2 | Horizon start date | X |
| 37 | DTM | C507 | 2379 | 203 | CCYYMMDDHHMM | X |
| 38 | QTY | C186 | 6063 | 97 | Minimum inventory | X |
| 38 | QTY | C186 | 6411 | CLT | each | X |
| 38 | QTY | C186 | 6411 | CMT | each | X |
| 38 | QTY | C186 | 6411 | EA | each | X |
| 38 | QTY | C186 | 6411 | GRM | each | X |
| 38 | QTY | C186 | 6411 | KGM | each | X |
| 38 | QTY | C186 | 6411 | KTM | each | X |
| 38 | QTY | C186 | 6411 | LTR | each | X |
| 38 | QTY | C186 | 6411 | MGM | each | X |
| 38 | QTY | C186 | 6411 | MMT | each | X |
| 38 | QTY | C186 | 6411 | MTK | each | X |
| 38 | QTY | C186 | 6411 | MTQ | each | X |
| 38 | QTY | C186 | 6411 | MTR | each | X |
| 39 | QTY | C186 | 6063 | 98 | Maximum inventory | X |
| 39 | QTY | C186 | 6411 | CLT | each | X |
| 39 | QTY | C186 | 6411 | CMT | each | X |
| 39 | QTY | C186 | 6411 | EA | each | X |
| 39 | QTY | C186 | 6411 | GRM | each | X |
| 39 | QTY | C186 | 6411 | KGM | each | X |
| 39 | QTY | C186 | 6411 | KTM | each | X |
| 39 | QTY | C186 | 6411 | LTR | each | X |
| 39 | QTY | C186 | 6411 | MGM | each | X |
| 39 | QTY | C186 | 6411 | MMT | each | X |
| 39 | QTY | C186 | 6411 | MTK | each | X |
| 39 | QTY | C186 | 6411 | MTQ | each | X |
| 39 | QTY | C186 | 6411 | MTR | each | X |
| 40 | QTY | C186 | 6063 | 187 | Quantity scheduled | X |
| 40 | QTY | C186 | 6411 | CLT | each | X |
| 40 | QTY | C186 | 6411 | CMT | each | X |
| 40 | QTY | C186 | 6411 | EA | each | X |
| 40 | QTY | C186 | 6411 | GRM | each | X |
| 40 | QTY | C186 | 6411 | KGM | each | X |

Note: Column Ct specifies whether the code is an EDIFACT code (.CO) or a user-defined (.CU) code.

Code usage

List of valid EDIFACT-Codes (CO) and user-defined codes (CU), sorted by data elements and code keys.

| No. | SE | DEG | DE | Code | Codename | Ct |
|-----|-----|------|------|------|--------------------------------|----|
| 40 | QTY | C186 | 6411 | KTM | each | X |
| 40 | QTY | C186 | 6411 | LTR | each | X |
| 40 | QTY | C186 | 6411 | MGM | each | X |
| 40 | QTY | C186 | 6411 | MMT | each | X |
| 40 | QTY | C186 | 6411 | MTK | each | X |
| 40 | QTY | C186 | 6411 | MTQ | each | X |
| 40 | QTY | C186 | 6411 | MTR | each | X |
| 41 | QTY | C186 | 6063 | 57 | In transit quantity | X |
| 41 | QTY | C186 | 6411 | CLT | each | X |
| 41 | QTY | C186 | 6411 | CMT | each | X |
| 41 | QTY | C186 | 6411 | EA | each | X |
| 41 | QTY | C186 | 6411 | GRM | each | X |
| 41 | QTY | C186 | 6411 | KGM | each | X |
| 41 | QTY | C186 | 6411 | KTM | each | X |
| 41 | QTY | C186 | 6411 | LTR | each | X |
| 41 | QTY | C186 | 6411 | MGM | each | X |
| 41 | QTY | C186 | 6411 | MMT | each | X |
| 41 | QTY | C186 | 6411 | MTK | each | X |
| 41 | QTY | C186 | 6411 | MTQ | each | X |
| 41 | QTY | C186 | 6411 | MTR | each | X |
| 42 | QTY | C186 | 6063 | 158 | Closing stock balance quantity | X |
| 42 | QTY | C186 | 6411 | CLT | each | X |
| 42 | QTY | C186 | 6411 | CMT | each | X |
| 42 | QTY | C186 | 6411 | EA | each | X |
| 42 | QTY | C186 | 6411 | GRM | each | X |
| 42 | QTY | C186 | 6411 | KGM | each | X |
| 42 | QTY | C186 | 6411 | KTM | each | X |
| 42 | QTY | C186 | 6411 | LTR | each | X |
| 42 | QTY | C186 | 6411 | MGM | each | X |
| 42 | QTY | C186 | 6411 | MMT | each | X |
| 42 | QTY | C186 | 6411 | MTK | each | X |
| 42 | QTY | C186 | 6411 | MTQ | each | X |
| 42 | QTY | C186 | 6411 | MTR | each | X |
| 43 | QTY | C186 | 6063 | 222 | Minimum requestable quantity | X |
| 43 | QTY | C186 | 6411 | CLT | each | X |
| 43 | QTY | C186 | 6411 | CMT | each | X |
| 43 | QTY | C186 | 6411 | EA | each | X |
| 43 | QTY | C186 | 6411 | GRM | each | X |
| 43 | QTY | C186 | 6411 | KGM | each | X |
| 43 | QTY | C186 | 6411 | KTM | each | X |
| 43 | QTY | C186 | 6411 | LTR | each | X |
| 43 | QTY | C186 | 6411 | MGM | each | X |
| 43 | QTY | C186 | 6411 | MMT | each | X |

Note: Column Ct specifies whether the code is an EDIFACT code (.CO) or a user-defined (.CU) code.

Code usage

List of valid EDIFACT-Codes (CO) and user-defined codes (CU), sorted by data elements and code keys.

| No. | SE | DEG | DE | Code | Codename | Ct |
|-----|-----|------|------|------|------------------------------|----|
| 43 | QTY | C186 | 6411 | MTK | each | X |
| 43 | QTY | C186 | 6411 | MTQ | each | X |
| 43 | QTY | C186 | 6411 | MTR | each | X |
| 44 | QTY | C186 | 6063 | 221 | Maximum requestable quantity | X |
| 44 | QTY | C186 | 6411 | CLT | each | X |
| 44 | QTY | C186 | 6411 | CMT | each | X |
| 44 | QTY | C186 | 6411 | EA | each | X |
| 44 | QTY | C186 | 6411 | GRM | each | X |
| 44 | QTY | C186 | 6411 | KGM | each | X |
| 44 | QTY | C186 | 6411 | KTM | each | X |
| 44 | QTY | C186 | 6411 | LTR | each | X |
| 44 | QTY | C186 | 6411 | MGM | each | X |
| 44 | QTY | C186 | 6411 | MMT | each | X |
| 44 | QTY | C186 | 6411 | MTK | each | X |
| 44 | QTY | C186 | 6411 | MTQ | each | X |
| 44 | QTY | C186 | 6411 | MTR | each | X |

Note: Column Ct specifies whether the code is an EDIFACT code (.CO) or a user-defined (.CU) code.