

Formal description of segments

Segment: **UNA** cons. No 1 Level: 0 **Service string advice**
 Status: C Max. Occ.: 1

Description: UNA

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
UNA		C	C		
UNA1	Component data element separator	M an1	M an1	:	
UNA2	Data element separator	M an1	M an1	+	
UNA3	Decimal notation	M an1	M an1	.	
UNA4	Release indicator	M an1	M an1	?	
UNA5	Reserved for future use	M an1	M an1		
UNA6	Segment terminator	M an1	M an1	'	

Comments:

Code values:

UNA:+.? '

Segment:

cons. No2
Status: M

Level: 0
Max. Occ.: 1

Description: UNB

Comments:

In the whole message, only characters are allowed that are valid according to the XML specification: <https://www.w3.org/TR/xml/#charsets>

Code values:

UNB+UNOC:3+BUY02::EDI1+SELLER01+051117:1035+00000000000012'

Formal description of segments

Segment: **UNH** cons. No3 Level: 0 Message header
Status: M Max. Occ.: 1

Description: UNH

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
UNH		M	M		
0062	Message reference number	M an..14	M an..14	+00000000 1	
S009	Message identifier	M	M		
0065	Message type identifier	M an..6	M an..6	+DELJIT	
0052	Message version number	M an..3	M an..3	:D	
0054	Message release number	M an..3	M an..3	:98B	
0051	Controlling agency	M an..2	M an..2	:UN	
0057	Association assigned code	C an..6	C an..6	:A1002'	A1002 Odette CALDEL V2

Comments:

The structure UNH - UNT may be repeated any number of times.

Code values:

UNH+000000001+DELJIT:D:98B:UN:A1002'

Formal description of segments

Segment: **BGM** cons. No4 Level: 0 **Beginning of message**
Status: M Max. Occ.: 1

Description: **BGM**

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
BGM		M	M		
C002	Document/message name	C	R		
1001	Document/message name, coded	C an..3	R an..3	+288	340 288 Shipping instructions KANBAN Schedule
C106	Document/message identification	C	R		
1004	Document/message number	C an..35	R an..17	+00000001 11'	

Comments:

Code values:

BGM+288+0000000111'

Formal description of segments

Segment: **DTM** cons. No5 Level: 1 Date/Time First at Destination
Status: C Max. Occ.: 1

Description: DTM

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
DTM		M	C		
C507	Date/time/period	M	M		
2005	Date/time/period qualifier	M an..3	C an..3	+117	117 Delivery date/time, first At least one delivery- or pickup date is mandatory on header or position
2380	Date/time/period	C an..35	R an..14	:20110928	
2379	Date/time/period format qualifier	C an..3	R an..3	:102'	203 CCYYMMDDHHMM 102 CCYYMMDD

Comments:

At least one delivery- or pickup date is mandatory on header or position

Code values:

DTM+117:20110928:102'

Formal description of segments

Segment: **DTM** cons. No6 Level: 1 Date/Time Last at Destination
Status: C Max. Occ.: 1

Description: DTM

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
DTM		M	C		
C507	Date/time/period	M	M		
2005	Date/time/period qualifier	M an..3	M an..3	+128	128 Delivery date/time, last
2380	Date/time/period	C an..35	R an..14	:20110930	
2379	Date/time/period format qualifier	C an..3	R an..3	:102'	203 CCYYMMDDHHMM 102 CCYYMMDD

Comments:

At least one delivery- or pickup date is mandatory on header or position

Code values:

DTM+128:20110930:102'

Formal description of segments

Segment: **DTM** cons. No7 Level: 1 **Document message Date/Time**
 Status: M Max. Occ.: 1

Description: DTM

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
DTM		M	M		
C507	Date/time/period	M	M		
2005	Date/time/period qualifier	M an..3	M an..3	+137	137 Document/message date/time
2380	Date/time/period	C an..35	R an..14	: 201109131 356	
2379	Date/time/period format qualifier	C an..3	R an..3	:203'	203 CCYYMMDDHHMM

Comments:

Code values:

DTM+137:201109131356:203'

Formal description of segments

Segment: **DTM** cons. No8 Level: 1 Collection Date/Time, earliest
Status: C Max. Occ.: 1

Description: DTM

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
DTM		M	C		
C507	Date/time/period	M	M		
2005	Date/time/period qualifier	M an..3	M an..3	+234	234 Collection date/time, earliest
2380	Date/time/period	C an..35	R an..14	:20110928	
2379	Date/time/period format qualifier	C an..3	R an..3	:102'	203 CCYYMMDDHHMM 102 CCYYMMDD

Comments:

At least one delivery- or pickup date is mandatory on header or position

Code values:

DTM+234:20110928:102'

Formal description of segments

Segment: **DTM** cons. No9 Level: 1 **Collection Date/Time, latest**
 Status: C Max. Occ.: 1

Description: DTM

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
DTM		M	C		
C507	Date/time/period	M	M		
2005	Date/time/period qualifier	M an..3	M an..3	+235	235 Collection date/time, latest
2380	Date/time/period	C an..35	R an..14	:20110930	
2379	Date/time/period format qualifier	C an..3	R an..3	:102'	203 CCYYMMDDHHMM 102 CCYYMMDD

Comments:

At least one delivery- or pickup date is mandatory on header or position

Code values:

DTM+235:20110930:102'

Formal description of segments

Segment: **FTX** cons. No 10 Level: 1 Corporate identity text
Status: C Max. Occ.: 1

Description: FTX

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
FTX		C	C	FTX	
4451	Text subject qualifier	M an..3	M an..3	+ADU	ADU Note Specification of the respective corporate-identity text of the buyer. Per FTX_4440 field max. 70 character.
4453	Text function, coded		N	+	
C107	Text reference		N		
4441	Free text identification		N	+	
C108	Text literal	C	C		
4440	Free text	M an..70	M an..70	+Example text	
4440	Free text	C an..70	C an..70	:Example text 2	
4440	Free text	C an..70	C an..70	:Example text 3	
4440	Free text	C an..70	C an..70	:Example text 4	
4440	Free text	C an..70	C an..70	:Example text 5'	

Comments:

Code values:

FTX+ADU+++Example text:Example text 2:Example text 3:Example text 4:Example text 5'

Formal description of segments

Segment: **FTX** cons. No 11 Level: 1 **Freitext Header 1**
Status: C Max. Occ.: 1

Description: FTX

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
FTX		C	C	FTX	
4451	Text subject qualifier	M an..3	M an..3	+H01	H01;Header Text 1
4453	Text function, coded		N	+	
C107	Text reference		N		
4441	Free text identification		N	+	
C108	Text literal	C	C		
4440	Free text	M an..70	M an..512	+Header01'	

Comments:

Code values:

FTX+H01+++Header01'

Formal description of segments

Segment: **FTX** cons. No 12 Level: 1 **Freitext Header 2**
Status: C Max. Occ.: 1

Description: FTX

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
FTX		C	C	FTX	
4451	Text subject qualifier	M an..3	M an..3	+H02	H02;Header Text 2
4453	Text function, coded		N	+	
C107	Text reference		N		
4441	Free text identification		N	+	
C108	Text literal	C	C		
4440	Free text	M an..70	M an..512	+Header0'	

Comments:

Code values:

FTX+H02+++Header0'

Formal description of segments

Segment: **FTX** cons. No 13 Level: 1 **Freitext Header 3**
Status: C Max. Occ.: 1

Description: FTX

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
FTX		C	C	FTX	
4451	Text subject qualifier	M an..3	M an..3	+H03	H03;Header Text 3
4453	Text function, coded		N	+	
C107	Text reference		N		
4441	Free text identification		N	+	
C108	Text literal	C	C		
4440	Free text	M an..70	M an..512	+Header03'	

Comments:

Code values:

FTX+H03+++Header03'

Formal description of segments

Segment: **FTX** cons. No 14 Level: 1 **Freitext Header 4**
Status: C Max. Occ.: 1

Description: FTX

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
FTX		C	C	FTX	
4451	Text subject qualifier	M an..3	M an..3	+H04	H04;Header Text 4
4453	Text function, coded		N	+	
C107	Text reference		N		
4441	Free text identification		N	+	
C108	Text literal	C	C		
4440	Free text	M an..70	M an..512	+Header04'	

Comments:

Code values:

FTX+H04+++Header04'

Formal description of segments

Segment: **FTX** cons. No 15 Level: 1 **Freitext Header 5**
 Status: C Max. Occ.: 1

Description: FTX

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
FTX		C	C	FTX	
4451	Text subject qualifier	M an..3	M an..3	+H05	H05;Header Text 5
4453	Text function, coded		N	+	
C107	Text reference		N		
4441	Free text identification		N	+	
C108	Text literal	C	C		
4440	Free text	M an..70	M an..512	+Header05'	

Comments:

Code values:

FTX+H05+++Header05'

Formal description of segments

Segment: **FTX** cons. No 16 Level: 1 **Free text**
 Status: C Max. Occ.: 5

Description: FTX

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
FTX		C	C		
4451	Text subject qualifier	M an..3	M an..3	+ABM	ABM ERP System ID
4453	Text function, coded		N	+	
C107	Text reference		N		
4441	Free text identification		N	+	
C108	Text literal	C	C		
4440	Free text	M an..70	M an..30	+ERP System ID'	Customer ERP System ID (Header level)

Comments:

Code values:

FTX+ABM+++ERP System ID'

Formal description of segments

Group: **SG1** Status: C Max. Occ.: 1 Routing information

Segment: **RFF** cons. No17 Level: 1 **Reference**
 Status: C Max. Occ.: 1

Description: RFF

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
RFF		M	C		
C506	Reference	M	M		
1153	Reference qualifier	M an..3	D an..3	+IT'	IT Internal customer number

Comments:

If RFF+IT is included, the buyside plant determination is done via plant code from NAD+BY.C082.3039.

If RFF+IT is not included the buyside plant determination is done via plant code from NAD+CN.C082.3039.

Code values:

RFF+IT'

Formal description of segments

Group: **SG1** Status: C Max. Occ.: 10 Seller's internal account number

Segment: **RFF** cons. No 18 Level: 1 **Reference**
 Status: M Max. Occ.: 1

Description: RFF

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
RFF		M	M		
C506	Reference	M	M		
1153	Reference qualifier	M an..3	M an..3	+ADE	ADE Account number
1154	Reference number	C an..35	R an..17	:12345'	

Comments:

Not used in WebEDI, the seller number from NAD+SE_C082_3039 is used for routing

Code values:

RFF+ADE:12345'

Formal description of segments

Group: **SG1** Status: C Max. Occ.: 10 Transport ID

Segment: **RFF** cons. No 19 Level: 1 **Reference**
 Status: C Max. Occ.: 1

Description: RFF

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
RFF		M	C		
C506	Reference	M	M		
1153	Reference qualifier	M an..3	M an..3	+AEM	AEM Transport ID Special function for defined customers. Has influence on ASN process.
1154	Reference number	C an..35	R an..17	:12345'	

Comments:

Code values:

RFF+AEM:12345'

Formal description of segments

Group: **SG2** Status: R Max. Occ.: 1 Buyer (BY)

Segment: **NAD** cons. No20 Level: 1 **Name and address (Buyer)**
Status: M Max. Occ.: 1

Description: **NAD**

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
NAD		M	M	NAD	
3035	Party qualifier	M an..3	M an..3	+BY	BY Buyer
C082	Party identification details	C	R		
3039	Party identification	M an..35	M an..20	+00700800	Client number
1131	Code list qualifier	C an..3	C an..3	:	
3055	Code list responsible agency, coded	C an..3	C an..3	:91	91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent 5 ISO (International Organization for Standardization) 10 ODETTE 16 DUNS (Dun & Bradstreet)
C058	Name and address	C	R		
3124	Name and address line	M an..35	M an..5	+Buy01	SupplyOn's organization code
3124	Name and address line	C an..35	C an..35	:Buyer Company	Description for selection list in WebEDI
C080	Party name	C	R		
3036	Party name	M an..35	M an..35	+Buyer company name	Customer's company name 1
3036	Party name	C an..35	C an..35	:Company 2	Customer's company name 2
C059	Street	C	C		
3042	Street and number/p.o. box	M an..35	M an..35	+Edison street 1	
3164	City name	C an..35	C an..35	+Bretten	
3229	Country sub-entity identification	C an..9	C an..9	+	
3251	Postcode identification	C an..9	C an..17	+12345	
3207	Country, coded	C an..3	C an..3	+DE'	DE GERMANY

Comments:

Code values:

NAD+BY+00700800::91+Buy01:Buyer Company+Buyer company name:Company 2+Edison street 1+Bretten++12345+DE'

Formal description of segments

Group:	SG2	Status: R	Max. Occ.: 1	Buyer (BY)
Group:	SG3	Status: C	Max. Occ.: 1	Information contact
Segment:	CTA	cons. No21 Status: M	Level: 2 Max. Occ.: 1	Contact information

Description: CTA

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
CTA		M	M	CTA	
3139	Contact function, coded	C an..3	R an..3	+IC	IC Information contact DL Delivery contact
C056	Department or employee details	C	C		
3413	Department or employee identification	C an..17	C an..17	+purchasing	Purchaser's reference
3412	Department or employee	C an..35	C an..35	:Konrad Meier'	Name of contact person

Comments:

Code values:

CTA+IC+purchasing:Konrad Meier'

Formal description of segments

Group:	SG2	Status: R	Max. Occ.: 1	Buyer (BY)
Group:	SG3	Status: C	Max. Occ.: 1	Information contact
Segment:	COM	cons. No22 Status: C	Level: 3 Max. Occ.: 1	Communication contact

Description: COM

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
COM		C	C	COM	
C076	Communication contact	M	M		
3148	Communication number	M an..512	M an..20	+04019558 8784	Telephon number of the contact person at the customer's site.
3155	Communication channel qualifier	M an..3	M an..3	:TE'	TE Telephone

Comments:

Code values:

COM+040195588784:TE'

Formal description of segments

Group:	SG2	Status: R	Max. Occ.: 1	Buyer (BY)
Group:	SG3	Status: C	Max. Occ.: 1	Information contact
Segment:	COM	cons. No23 Status: C	Level: 3 Max. Occ.: 1	Communication contact

Description: COM

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
COM		C	C	COM	
C076	Communication contact	M	M		
3148	Communication number	M an..512	M an..20	+04019558 8794	customer's Fax No
3155	Communication channel qualifier	M an..3	M an..3	:FX'	FX Telefax

Comments:

Code values:

COM+040195588794:FX'

Formal description of segments

Group:	SG2	Status: R	Max. Occ.: 1	Buyer (BY)
Group:	SG3	Status: C	Max. Occ.: 1	Information contact
Segment:	COM	cons. No24 Status: C	Level: 3 Max. Occ.: 1	Communication contact

Description: COM

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
COM		C	C	COM	
C076	Communication contact	M	M		
3148	Communication number	M an..512	M an..70	+K. Meier@buy er.de	Customer's email address
3155	Communication channel qualifier	M an..3	M an..3	:EM'	EM Electronic mail

Comments:

Code values:

COM+K.Meier@buyer.de:EM'

Formal description of segments

Group: **SG2** Status: C Max. Occ.: 1 Carrier (CA)

Segment: **NAD** cons. No25 Level: 1 **Name and address (Carrier)**
 Status: C Max. Occ.: 1

Description: NAD

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
NAD		M	C	NAD	
3035	Party qualifier	M an..3	M an..3	+CA	CA Carrier
C082	Party identification details	C	R		
3039	Party identification	M an..35	M an..20	+00700800	Partner number
1131	Code list qualifier	C an..3	C an..3	:	
3055	Code list responsible agency, coded	C an..3	C an..3	:91	91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent 5 ISO (International Organization for Standardization) 10 ODETTE 16 DUNS (Dun & Bradstreet)
C058	Name and address	C	C		
3124	Name and address line	M an..35	M an..35	+	
C080	Party name	C	R		
3036	Party name	M an..35	M an..35	+Carrier company name	Carrier's company name
3036	Party name	C an..35	C an..35	:Name 2	Carrier's company name
C059	Street	C	C		
3042	Street and number/p.o. box	M an..35	M an..35	+Edison street 1	
3164	City name	C an..35	C an..35	+Bretten	
3229	Country sub-entity identification	C an..9	C an..9	+	
3251	Postcode identification	C an..9	C an..17	+12345	
3207	Country, coded	C an..3	C an..3	+DE'	DE GERMANY

Comments:

Code values:

NAD+CA+00700800::91++Carrier company name:Name 2+Edison street 1+Bretten++12345+DE'

Formal description of segments

Group:	SG2	Status: R	Max. Occ.: 1	Consignee (CN)
Segment:	NAD	cons. No26 Status: M	Level: 1 Max. Occ.: 1	Name and address (Consignee)

Description: NAD

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
NAD		M	M	NAD	
3035	Party qualifier	M an..3	M an..3	+CN	CN Consignee
C082	Party identification details	C	R		
3039	Party identification	M an..35	M an..20	+00700800	Client number
1131	Code list qualifier	C an..3	C an..3	:	
3055	Code list responsible agency, coded	C an..3	C an..3	:91	91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent 5 ISO (International Organization for Standardization) 10 ODETTE 16 DUNS (Dun & Bradstreet)
C058	Name and address	C	R		
3124	Name and address line	M an..35	M an..35	+Consignee	
3124	Name and address line	C an..35	C an..35	:Consignee Company	
C080	Party name	C	R		
3036	Party name	M an..35	M an..35	+Consignee company name	Customer's company name Unequivocal description of the plant that sends the DELJIT, for selection in the WebEDI system
C059	Street	C	R		
3042	Street and number/p.o. box	M an..35	C an..35	+Edison street 1	
3164	City name	C an..35	C an..35	+Bretten	
3229	Country sub-entity identification	C an..9	C an..9	+	
3251	Postcode identification	C an..9	C an..17	+12345	
3207	Country, coded	C an..3	C an..3	+DE'	DE GERMANY

Comments:

Code values:

NAD+CN+00700800::91+Consignee:Consignee Company+Consignee company name+Edison street 1+Bretten++12345+DE'

Formal description of segments

Group:	SG2	Status: R	Max. Occ.: 1	Consignee (CN)
Group:	SG3	Status: C	Max. Occ.: 1	Information contact
Segment:	CTA	cons. No27 Status: M	Level: 2 Max. Occ.: 1	Contact information

Description: CTA

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
CTA		M	M	CTA	
3139	Contact function, coded	C an..3	R an..3	+IC	IC Information contact DL Delivery contact
C056	Department or employee details	C	C		
3413	Department or employee identification	C an..17	C an..17	+department	Department of contact person
3412	Department or employee	C an..35	C an..35	:Konrad Meier'	Name of contact person

Comments:

Code values:

CTA+IC+department:Konrad Meier'

Formal description of segments

Group:	SG2	Status: R	Max. Occ.: 1	Consignee (CN)
Group:	SG3	Status: C	Max. Occ.: 1	Information contact
Segment:	COM	cons. No28 Status: C	Level: 3 Max. Occ.: 1	Communication contact

Description: COM

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
COM		C	C	COM	
C076	Communication contact	M	M		
3148	Communication number	M an..512	M an..20	+04019558 8784	Telephon number of the contact person.
3155	Communication channel qualifier	M an..3	M an..3	:TE'	TE Telephone

Comments:

Code values:

COM+040195588784:TE'

Formal description of segments

Group:	SG2	Status: R	Max. Occ.: 1	Consignee (CN)
Group:	SG3	Status: C	Max. Occ.: 1	Information contact
Segment:	COM	cons. No29 Status: C	Level: 3 Max. Occ.: 1	Communication contact

Description: COM

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
COM		C	C	COM	
C076	Communication contact	M	M		
3148	Communication number	M an..512	M an..20	+04019558 8794	Fax number
3155	Communication channel qualifier	M an..3	M an..3	:FX'	FX Telefax

Comments:

Code values:

COM+040195588794:FX'

Formal description of segments

Group:	SG2	Status: R	Max. Occ.: 1	Consignee (CN)
Group:	SG3	Status: C	Max. Occ.: 1	Information contact
Segment:	COM	cons. No30 Status: C	Level: 3 Max. Occ.: 1	Communication contact

Description: COM

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
COM		C	C	COM	
C076	Communication contact	M	M		
3148	Communication number	M an..512	M an..70	+K. Meier@buy er.de	Email address
3155	Communication channel qualifier	M an..3	M an..3	:EM'	EM Electronic mail

Comments:

Code values:

COM+K.Meier@buyer.de:EM'

Formal description of segments

Group: **SG2** Status: C Max. Occ.: 1 Consignor (CZ)

Segment: **NAD** cons. No31 Level: 1 **Name and address**
 Status: M Max. Occ.: 1

Description: **NAD**

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
NAD		M	M	NAD	
3035	Party qualifier	M an..3	M an..3	+CZ	CZ Consignor
C082	Party identification details	C	C		
3039	Party identification	M an..35	C an..20	+00700800	
1131	Code list qualifier	C an..3	C an..3	:	
3055	Code list responsible agency, coded	C an..3	C an..3	:91	91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent 5 ISO (International Organization for Standardization) 10 ODETTE 16 DUNS (Dun & Bradstreet)
C058	Name and address	C	C		
3124	Name and address line	M an..35	M an..35	+	
C080	Party name	C	R		
3036	Party name	M an..35	M an..35	+Consignor company name	Consignor name for selection list WebEDI
3036	Party name	C an..35	C an..35	:Name 2	
C059	Street	C	C		
3042	Street and number/p.o. box	M an..35	M an..35	+Edison street 1	
3164	City name	C an..35	C an..35	+Bretten	
3229	Country sub-entity identification	C an..9	C an..9	+	
3251	Postcode identification	C an..9	C an..17	+12345	
3207	Country, coded	C an..3	C an..3	+DE'	DE GERMANY

Comments:

Code values:

NAD+CZ+00700800::91++Consignor company name:Name 2+Edison street 1+Bretten++12345+DE'

Formal description of segments

Group:	SG2	Status: C	Max. Occ.: 1	Consignor (CZ)
Group:	SG3	Status: C	Max. Occ.: 1	Information contact
Segment:	CTA	cons. No32 Status: M	Level: 2 Max. Occ.: 1	Contact information

Description: CTA

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
CTA		M	M	CTA	
3139	Contact function, coded	C an..3	R an..3	+IC	IC Information contact DL Delivery contact
C056	Department or employee details	C	C		
3413	Department or employee identification	C an..17	C an..17	+department	Department of contact person
3412	Department or employee	C an..35	C an..35	:Konrad Meier'	Name of contact person

Comments:

Code values:

CTA+IC+department:Konrad Meier'

Formal description of segments

Group:	SG2	Status: C	Max. Occ.: 1	Consignor (CZ)
Group:	SG3	Status: C	Max. Occ.: 1	Information contact
Segment:	COM	cons. No33 Status: C	Level: 3 Max. Occ.: 1	Communication contact

Description: COM

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
COM		C	C	COM	
C076	Communication contact	M	M		
3148	Communication number	M an..512	M an..20	+04019558 8784	Telephon number of the contact person.
3155	Communication channel qualifier	M an..3	M an..3	:TE'	TE Telephone

Comments:

Code values:

COM+040195588784:TE'

Formal description of segments

Group:	SG2	Status: C	Max. Occ.: 1	Consignor (CZ)
Group:	SG3	Status: C	Max. Occ.: 1	Information contact
Segment:	COM	cons. No34 Status: C	Level: 3 Max. Occ.: 1	Communication contact

Description: COM

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
COM		C	C	COM	
C076	Communication contact	M	M		
3148	Communication number	M an..512	M an..20	+04019558 8794	Fax No
3155	Communication channel qualifier	M an..3	M an..3	:FX'	FX Telefax

Comments:

Code values:

COM+040195588794:FX'

Formal description of segments

Group:	SG2	Status: C	Max. Occ.: 1	Consignor (CZ)
Group:	SG3	Status: C	Max. Occ.: 1	Information contact
Segment:	COM	cons. No35 Status: C	Level: 3 Max. Occ.: 1	Communication contact

Description: COM

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
COM		C	C	COM	
C076	Communication contact	M	M		
3148	Communication number	M an..512	M an..70	+K. Meier@buyer.de	Email address
3155	Communication channel qualifier	M an..3	M an..3	:EM'	EM Electronic mail

Comments:

Code values:

COM+K.Meier@buyer.de:EM'

Formal description of segments

Group: **SG2** Status: C Max. Occ.: 1 Invoicee (IV)

Segment: **NAD** cons. No36 Level: 1 **Name and address (Invoicee)**
 Status: M Max. Occ.: 1

Description: **NAD**

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
NAD		M	M	NAD	
3035	Party qualifier	M an..3	M an..3	+IV	IV Invoicee
C082	Party identification details	C	R		
3039	Party identification	M an..35	M an..20	+00700800	Invoicee number
1131	Code list qualifier	C an..3	C an..3	:	
3055	Code list responsible agency, coded	C an..3	C an..3	:91	91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent 5 ISO (International Organization for Standardization) 10 ODETTE 16 DUNS (Dun & Bradstreet)
C058	Name and address	C	C		
3124	Name and address line	M an..35	M an..35	+	
C080	Party name	C	R		
3036	Party name	M an..35	M an..35	+Buyer company name	Company name of invoice recipient
3036	Party name	C an..35	C an..35	:Name 2	
C059	Street	C	R		
3042	Street and number/p.o. box	M an..35	C an..35	+Edison street 1	
3164	City name	C an..35	C an..35	+Bretten	
3229	Country sub-entity identification	C an..9	C an..9	+	
3251	Postcode identification	C an..9	C an..17	+12345	
3207	Country, coded	C an..3	C an..3	+DE'	DE GERMANY

Comments:

Code values:

NAD+IV+00700800::91++Buyer company name:Name 2+Edison street 1+Bretten++12345+DE'

Formal description of segments

Group: **SG2** Status: C Max. Occ.: 1 Invoicee (IV)

Segment: **FTX** cons. No37 Level: 2 **VAT Number**
 Status: C Max. Occ.: 5

Description: FTX

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
FTX		C	C		
4451	Text subject qualifier	M an..3	M an..3	+TXD	TXD Tax declaration
4453	Text function, coded	C an..3	C an..3	+	
C107	Text reference	C	C		
4441	Free text identification	M an..17	M an..17	+	
C108	Text literal	C	C		
4440	Free text	M an..70	M an..14	+FR11111 111'	

Comments:

Code values:

FTX+TXD+++FR11111111'

Formal description of segments

Group:	SG2	Status: C	Max. Occ.: 1	Invoicee (IV)
Group:	SG3	Status: C	Max. Occ.: 1	Information contact
Segment:	CTA	cons. No38 Status: M	Level: 2 Max. Occ.: 1	Contact information

Description: CTA

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
CTA		M	M	CTA	
3139	Contact function, coded	C an..3	R an..3	+IC	IC Information contact DL Delivery contact
C056	Department or employee details	C	C		
3413	Department or employee identification	C an..17	C an..17	+department	Department of contact person
3412	Department or employee	C an..35	C an..35	:Konrad Meier'	Name of contact person

Comments:

Code values:

CTA+IC+department:Konrad Meier'

Formal description of segments

Group:	SG2	Status: C	Max. Occ.: 1	Invoicee (IV)
Group:	SG3	Status: C	Max. Occ.: 1	Information contact
Segment:	COM	cons. No39 Status: C	Level: 3 Max. Occ.: 1	Communication contact

Description: COM

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
COM		C	C	COM	
C076	Communication contact	M	M		
3148	Communication number	M an..512	M an..20	+04019558 8784	Telephon number of the contact person.
3155	Communication channel qualifier	M an..3	M an..3	:TE'	TE Telephone

Comments:

Code values:

COM+040195588784:TE'

Formal description of segments

Group:	SG2	Status: C	Max. Occ.: 1	Invoicee (IV)
Group:	SG3	Status: C	Max. Occ.: 1	Information contact
Segment:	COM	cons. No40 Status: C	Level: 3 Max. Occ.: 1	Communication contact

Description: COM

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
COM		C	C	COM	
C076	Communication contact	M	M		
3148	Communication number	M an..512	M an..20	+04019558 8794	Fax number
3155	Communication channel qualifier	M an..3	M an..3	:FX'	FX Telefax

Comments:

Code values:

COM+040195588794:FX'

Formal description of segments

Group:	SG2	Status: C	Max. Occ.: 1	Invoicee (IV)
Group:	SG3	Status: C	Max. Occ.: 1	Information contact
Segment:	COM	cons. No41 Status: C	Level: 3 Max. Occ.: 1	Communication contact

Description: COM

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
COM		C	C	COM	
C076	Communication contact	M	M		
3148	Communication number	M an..512	M an..70	+K. Meier@buy er.de	Email address
3155	Communication channel qualifier	M an..3	M an..3	:EM'	EM Electronic mail

Comments:

Code values:

COM+K.Meier@buyer.de:EM'

Formal description of segments

Group: **SG2** Status: R Max. Occ.: 1 Seller (SE)

Segment: **NAD** cons. No42 Level: 1 **Name and address (Seller)**
 Status: M Max. Occ.: 1

Description: **NAD**

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
NAD		M	M	NAD	
3035	Party qualifier	M an..3	M an..3	+SE	SE Seller
C082	Party identification details	C	R		
3039	Party identification	M an..35	M an..20	+00700800	Supplier number (Identical with RFF+ADE:1154)
1131	Code list qualifier	C an..3	C an..3	:	
3055	Code list responsible agency, coded	C an..3	C an..3	:91	91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent 5 ISO (International Organization for Standardization) 10 ODETTE 16 DUNS (Dun & Bradstreet)
C058	Name and address	C	C		
3124	Name and address line	M an..35	M an..35	+	
C080	Party name	C	R		
3036	Party name	M an..35	M an..35	+Consignor company name	Seller name for WebEDI
3036	Party name	C an..35	C an..35	:Name 2	Seller name for WebEDI
C059	Street	C	C		
3042	Street and number/p.o. box	M an..35	M an..35	+Edison street 1	
3164	City name	C an..35	R an..35	+Bretten	
3229	Country sub-entity identification	C an..9	C an..9	+	
3251	Postcode identification	C an..9	C an..17	+12345	
3207	Country, coded	C an..3	C an..3	+DE'	DE GERMANY

Comments:

Code values:

NAD+SE+00700800::91++Consignor company name:Name 2+Edison street 1+Bretten++12345+DE'

Formal description of segments

Group:	SG2	Status: R	Max. Occ.: 1	Seller (SE)
Group:	SG3	Status: C	Max. Occ.: 1	Information contact
Segment:	CTA	cons. No43 Status: M	Level: 2 Max. Occ.: 1	Contact information

Description: CTA

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
CTA		M	M	CTA	
3139	Contact function, coded	C an..3	R an..3	+IC	IC Information contact DL Delivery contact
C056	Department or employee details	C	C		
3413	Department or employee identification	C an..17	C an..17	+department	Department of contact person
3412	Department or employee	C an..35	C an..35	:Konrad Meier'	Name of contact person

Comments:

Code values:

CTA+IC+department:Konrad Meier'

Formal description of segments

Group:	SG2	Status: R	Max. Occ.: 1	Seller (SE)
Group:	SG3	Status: C	Max. Occ.: 1	Information contact
Segment:	COM	cons. No44 Status: C	Level: 3 Max. Occ.: 1	Communication contact

Description: COM

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
COM		C	C	COM	
C076	Communication contact	M	M		
3148	Communication number	M an..512	M an..20	+04019558 8784	Telephon number of the contact person.
3155	Communication channel qualifier	M an..3	M an..3	:TE'	TE Telephone

Comments:

Code values:

COM+040195588784:TE'

Formal description of segments

Group:	SG2	Status: R	Max. Occ.: 1	Seller (SE)
Group:	SG3	Status: C	Max. Occ.: 1	Information contact
Segment:	COM	cons. No45 Status: C	Level: 3 Max. Occ.: 1	Communication contact

Description: COM

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
COM		C	C	COM	
C076	Communication contact	M	M		
3148	Communication number	M an..512	M an..20	+04019558 8794	Fax number
3155	Communication channel qualifier	M an..3	M an..3	:FX'	FX Telefax

Comments:

Code values:

COM+040195588794:FX'

Formal description of segments

Group:	SG2	Status: R	Max. Occ.: 1	Seller (SE)
Group:	SG3	Status: C	Max. Occ.: 1	Information contact
Segment:	COM	cons. No46 Status: C	Level: 3 Max. Occ.: 1	Communication contact

Description: COM

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
COM		C	C	COM	
C076	Communication contact	M	M		
3148	Communication number	M an..512	M an..70	+K. Meier@buyer.de	Email address
3155	Communication channel qualifier	M an..3	M an..3	:EM'	EM Electronic mail

Comments:

Code values:

COM+K.Meier@buyer.de:EM'

Formal description of segments

Group: **SG4** Status: M Max. Occ.: 9999 SEQ-SG5-SG7

Segment: **SEQ** cons. No47 Level: 1 **Sequence details**
 Status: M Max. Occ.: 1

Description: SEQ

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
SEQ 1229	Action request/notification, coded	M C an..3	M C an..3	+39'	39 New

Comments:

Code values:
 SEQ+39'

Formal description of segments

Group: **SG4** Status: M Max. Occ.: 9999 SEQ-SG5-SG7

Group: **SG5** Status: C Max. Occ.: 2 PAC

Segment: **PAC** cons. No48 Level: 2 **Package**
 Status: M Max. Occ.: 1

Description: PAC

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
PAC		M	M		
7224	Number of packages	C n..8	C n..8	+9	
C531	Packaging details	C	C		
7075	Packaging level, coded	C an..3	C an..3	+1	1 3 Inner Outer
7233	Packaging related information, coded	C an..3	C an..3	:	
C202	Package type	C	C		
7065	Type of packages identification	C an..17	C an..17	+1A1	Handling Unit / Package Type Identification
1131	Code list qualifier	C an..3	C an..3	:	
3055	Code list responsible agency, coded	C an..3	C an..3	:'	91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent 203 FR, GALIA (Groupement pour l'Amelioration des Liaisons dans 204 DE, VDA (Verband der Automobilindustrie E.V.) 205 IT, ODETTE Italy 206 NL, ODETTE Netherlands 207 ES, ODETTE Spain 208 SE, ODETTE Sweden 209 GB, ODETTE United Kingdom

Comments:

Code values:

PAC+9+1+1A1'

Formal description of segments

Group:	SG4	Status: M	Max. Occ.: 9999	SEQ-SG5-SG7
Group:	SG7	Status: R	Max. Occ.: 9999	LIN-PIA-IMD-ALI-FTX-SG8-SG9-SG11
Segment:	LIN	cons. No49 Status: M	Level: 2 Max. Occ.: 1	Line item

Description: LIN

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
LIN		M	M		
1082	Line item number	C an..6	C an..6	+	
1229	Action request/notification, coded	C an..3	C an..3	+	
C212	Item number identification	C	R		
7140	Item number	C an..35	R an..22	+10038713	Article Number
7143	Item number type, coded	C an..3	R an..3	:IN'	IN Buyer's item number

Comments:

Code values:

LIN+++10038713:IN'

Formal description of segments

Group:	SG4	Status: M	Max. Occ.: 9999	SEQ-SG5-SG7
Group:	SG7	Status: R	Max. Occ.: 9999	LIN-PIA-IMD-ALI-FTX-SG8-SG9-SG11
Segment:	PIA	cons. No50 Status: C	Level: 3 Max. Occ.: 10	Additional product id

Description: PIA

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
PIA		C	C		
4347	Product id. function qualifier	M an..3	M an..3	+1	1 Additional identification
C212	Item number identification	M	M		
7140	Item number	C an..35	C an..35	+REV9874 93SOFT	If PIA 7143 is filled PIA 7140 is mandatory
7143	Item number type, coded	C an..3	C an..3	:EC	EC Engineering change level SA Supplier's article number
C212	Item number identification	C	C		
7140	Item number	C an..35	C an..35	+ART123S UPP	If PIA 7143 is filled PIA 7140 is mandatory
7143	Item number type, coded	C an..3	C an..3	:SA	SA Supplier's article number
C212	Item number identification	C	C		
7140	Item number	C an..35	C an..16	+01029042	If PIA 7143 is filled PIA 7140 is mandatory
					EU Customs Tariff Number
7143	Item number type, coded	C an..3	C an..3	:CV'	CV Customs article number

Comments:

Code values:

PIA+1+REV987493SOFT:EC+ART123SUPP:SA+01029042:CV'

Formal description of segments

Group:	SG4	Status: M	Max. Occ.: 9999	SEQ-SG5-SG7
Group:	SG7	Status: R	Max. Occ.: 9999	LIN-PIA-IMD-ALI-FTX-SG8-SG9-SG11
Segment:	IMD	cons. No51 Status: C	Level: 3 Max. Occ.: 1	Item description

Description: IMD

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
IMD		C	C		
7077	Item description type, coded	C an..3	C an..3	+	
C272	Item characteristic	C	C		
7081	Item characteristic, coded	C an..3	C an..3	+	
C273	Item description	C	C		
7009	Item description identification	C an..17	C an..17	+	
1131	Code list qualifier	C an..3	C an..3	:	
3055	Code list responsible agency, coded	C an..3	C an..3	:	
7008	Item description	C an..256	R an..256	: Articledescription'	Article description

Comments:

Code values:

IMD+++:::Articledescription'

Formal description of segments

Group:	SG4	Status: M	Max. Occ.: 9999	SEQ-SG5-SG7
Group:	SG7	Status: R	Max. Occ.: 9999	LIN-PIA-IMD-ALI-FTX-SG8-SG9-SG11
Segment:	IMD	cons. No52 Status: C	Level: 3 Max. Occ.: 1	Item description

Description: IMD

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
IMD		C	C	IMD	
7077	Item description type, coded	C an..3	D an..3	+A	A Free-form long description
C272	Item characteristic	C	C		
7081	Item characteristic, coded	C an..3	C an..3	+	
C273	Item description	C	C		
7009	Item description identification	C an..17	C an..17	+	
1131	Code list qualifier	C an..3	C an..3	:	
3055	Code list responsible agency, coded	C an..3	C an..3	:92	92 Assigned by buyer or buyer's agent
7008	Item description	C an..256	C an..256	:barrels, with a weight of 150 kg	Customs Commodity description
7008	Item description	C an..256	C an..256	:	
3453	Language, coded	C an..3	C an..3	:DE'	DE German EN English

Comments:

Code values:

IMD+A++::92:barrels, with a weight of 150 kg::DE'

Formal description of segments

Group:	SG4	Status: M	Max. Occ.: 9999	SEQ-SG5-SG7
Group:	SG7	Status: R	Max. Occ.: 9999	LIN-PIA-IMD-ALI-FTX-SG8-SG9-SG11
Segment:	IMD	cons. No53 Status: C	Level: 3 Max. Occ.: 1	Item description

Description: IMD

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
IMD		C	C	IMD	
7077	Item description type, coded	C an..3	R an..3	+C	C Code (from industry code list)
C272	Item characteristic	C	C		
7081	Item characteristic, coded	C an..3	C an..3	+	
C273	Item description	C	C		
7009	Item description identification	C an..17	C an..17	+	
1131	Code list qualifier	C an..3	C an..3	:	
3055	Code list responsible agency, coded	C an..3	C an..3	:6	6 UN/ECE (United Nations - Economic Commission for Europe)
7008	Item description	C an..256	O an..8	:1203	Danger Code
7008	Item description	C an..256	C an..256	:	
3453	Language, coded	C an..3	C an..3	:DE'	DE German

Comments:

Code values:

IMD+C++::6:1203::DE'

Formal description of segments

Group:	SG4	Status: M	Max. Occ.: 9999	SEQ-SG5-SG7
Group:	SG7	Status: R	Max. Occ.: 9999	LIN-PIA-IMD-ALI-FTX-SG8-SG9-SG11
Segment:	ALI	cons. No54 Status: C	Level: 3 Max. Occ.: 5	Additional information

Description: ALI

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
ALI		C	C		
3239	Country of origin, coded	C an..3	C an..3	+	
9213	Type of duty regime, coded	C an..3	C an..3	+	
4183	Special conditions, coded	C an..3	C an..3	+N'	N Flag that no invoice can be created. If this flag is not send, invoices can be created Invoice Flag

Comments:

Code values:

ALI+++N'

Formal description of segments

Group:	SG4	Status: M	Max. Occ.: 9999	SEQ-SG5-SG7
Group:	SG7	Status: R	Max. Occ.: 9999	LIN-PIA-IMD-ALI-FTX-SG8-SG9-SG11
Segment:	FTX	cons. No55 Status: C	Level: 3 Max. Occ.: 1	Incoterms

Description: FTX

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
FTX		C	C		
4451	Text subject qualifier	M an..3	M an..3	+FRA	FRA Freight Terms Code
4453	Text function, coded		N	+	
C107	Text reference	C	C		
4441	Free text identification	M an..17	M an..3	+EXW	
C108	Text literal	C	C		
4440	Free text	M an..70	M an..35	+Ex Works'	

Comments:

Code values:

FTX+FRA++EXW+Ex Works'

Formal description of segments

Group:	SG4	Status: M	Max. Occ.: 9999	SEQ-SG5-SG7
Group:	SG7	Status: R	Max. Occ.: 9999	LIN-PIA-IMD-ALI-FTX-SG8-SG9-SG11
Segment:	FTX	cons. No56 Status: C	Level: 3 Max. Occ.: 1	FlexibleField01

Description: FTX

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
FTX		C	C	FTX	
4451	Text subject qualifier	M an..3	M an..3	+F01	F01; Flexible-Field 1
4453	Text function, coded		N	+	
C107	Text reference	C	C		
4441	Free text identification	M an..17	M an..17	+	
C108	Text literal	C	C		
4440	Free text	M an..70	M an..15	+FlexibleField01'	Content of flexible field 01

Comments:

Code values:

FTX+F01+++FlexibleField01'

Formal description of segments

Group:	SG4	Status: M	Max. Occ.: 9999	SEQ-SG5-SG7
Group:	SG7	Status: R	Max. Occ.: 9999	LIN-PIA-IMD-ALI-FTX-SG8-SG9-SG11
Segment:	FTX	cons. No57 Status: C	Level: 3 Max. Occ.: 1	FlexibleField02

Description: FTX

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
FTX		C	C	FTX	
4451	Text subject qualifier	M an..3	M an..3	+F02	F02; Flexible-Field 2
4453	Text function, coded		N	+	
C107	Text reference	C	C		
4441	Free text identification	M an..17	M an..17	+	
C108	Text literal	C	C		
4440	Free text	M an..70	M an..15	+FlexibleField02'	Content of flexible field 02

Comments:

Code values:

FTX+F02+++FlexibleField02'

Formal description of segments

Group:	SG4	Status: M	Max. Occ.: 9999	SEQ-SG5-SG7
Group:	SG7	Status: R	Max. Occ.: 9999	LIN-PIA-IMD-ALI-FTX-SG8-SG9-SG11
Segment:	FTX	cons. No58 Status: C	Level: 3 Max. Occ.: 1	FlexibleField03

Description: FTX

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
FTX		C	C	FTX	
4451	Text subject qualifier	M an..3	M an..3	+F03	F03; Flexible-Field 3
4453	Text function, coded		N	+	
C107	Text reference	C	C		
4441	Free text identification	M an..17	M an..17	+	
C108	Text literal	C	C		
4440	Free text	M an..70	M an..15	+FlexibleField03'	Content of flexible field 03

Comments:

Code values:

FTX+F03+++FlexibleField03'

Formal description of segments

Group:	SG4	Status: M	Max. Occ.: 9999	SEQ-SG5-SG7
Group:	SG7	Status: R	Max. Occ.: 9999	LIN-PIA-IMD-ALI-FTX-SG8-SG9-SG11
Segment:	FTX	cons. No59 Status: C	Level: 3 Max. Occ.: 1	FlexibleField04

Description: FTX

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
FTX		C	C	FTX	
4451	Text subject qualifier	M an..3	M an..3	+F04	F04; Flexible-Field 4
4453	Text function, coded		N	+	
C107	Text reference	C	C		
4441	Free text identification	M an..17	M an..17	+	
C108	Text literal	C	C		
4440	Free text	M an..70	M an..15	+FlexibleField04'	Content of flexible field 04

Comments:

Code values:

FTX+F04+++FlexibleField04'

Formal description of segments

Group:	SG4	Status: M	Max. Occ.: 9999	SEQ-SG5-SG7
Group:	SG7	Status: R	Max. Occ.: 9999	LIN-PIA-IMD-ALI-FTX-SG8-SG9-SG11
Segment:	FTX	cons. No60 Status: C	Level: 3 Max. Occ.: 1	FlexibleField05

Description: FTX

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
FTX		C	C	FTX	
4451	Text subject qualifier	M an..3	M an..3	+F05	F05; Flexible-Field 5
4453	Text function, coded		N	+	
C107	Text reference	C	C		
4441	Free text identification	M an..17	M an..17	+	
C108	Text literal	C	C		
4440	Free text	M an..70	M an..15	+FlexibleField05'	Content of flexible field 05

Comments:

Code values:

FTX+F05+++FlexibleField05'

Formal description of segments

Group:	SG4	Status: M	Max. Occ.: 9999	SEQ-SG5-SG7
Group:	SG7	Status: R	Max. Occ.: 9999	LIN-PIA-IMD-ALI-FTX-SG8-SG9-SG11
Segment:	FTX	cons. No61 Status: C	Level: 3 Max. Occ.: 1	FlexibleField06

Description: FTX

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
FTX		C	C	FTX	
4451	Text subject qualifier	M an..3	M an..3	+F06	F06; Flexible-Field 6
4453	Text function, coded		N	+	
C107	Text reference	C	C		
4441	Free text identification	M an..17	M an..17	+	
C108	Text literal	C	C		
4440	Free text	M an..70	M an..15	+FlexibleField06'	Content of flexible field 06

Comments:

Code values:

FTX+F06+++FlexibleField06'

Formal description of segments

Group:	SG4	Status: M	Max. Occ.: 9999	SEQ-SG5-SG7
Group:	SG7	Status: R	Max. Occ.: 9999	LIN-PIA-IMD-ALI-FTX-SG8-SG9-SG11
Segment:	FTX	cons. No62 Status: C	Level: 3 Max. Occ.: 1	FlexibleField07

Description: FTX

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
FTX		C	C	FTX	
4451	Text subject qualifier	M an..3	M an..3	+F07	F07; Flexible- Field 7
4453	Text function, coded		N	+	
C107	Text reference	C	C		
4441	Free text identification	M an..17	M an..17	+	
C108	Text literal	C	C		
4440	Free text	M an..70	M an..15	+FlexibleField07'	Content of flexible field 07

Comments:

Code values:

FTX+F07+++FlexibleField07'

Formal description of segments

Group:	SG4	Status: M	Max. Occ.: 9999	SEQ-SG5-SG7
Group:	SG7	Status: R	Max. Occ.: 9999	LIN-PIA-IMD-ALI-FTX-SG8-SG9-SG11
Segment:	FTX	cons. No63 Status: C	Level: 3 Max. Occ.: 1	FlexibleField08

Description: FTX

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
FTX		C	C	FTX	
4451	Text subject qualifier	M an..3	M an..3	+F08	F08; 8 Flexible- Field
4453	Text function, coded		N	+	
C107	Text reference	C	C		
4441	Free text identification	M an..17	M an..17	+	
C108	Text literal	C	C		
4440	Free text	M an..70	M an..15	+FlexibleField08'	Content of flexible field 08

Comments:

Code values:

FTX+F08+++FlexibleField08'

Formal description of segments

Group:	SG4	Status: M	Max. Occ.: 9999	SEQ-SG5-SG7
Group:	SG7	Status: R	Max. Occ.: 9999	LIN-PIA-IMD-ALI-FTX-SG8-SG9-SG11
Segment:	FTX	cons. No64 Status: C	Level: 3 Max. Occ.: 1	FlexibleField09

Description: FTX

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
FTX		C	C	FTX	
4451	Text subject qualifier	M an..3	M an..3	+F09	F09; Flexible-Field 9
4453	Text function, coded		N	+	
C107	Text reference	C	C		
4441	Free text identification	M an..17	M an..17	+	
C108	Text literal	C	C		
4440	Free text	M an..70	M an..15	+FlexibleField09'	Content of flexible field 09

Comments:

Code values:

FTX+F09+++FlexibleField09'

Formal description of segments

Group:	SG4	Status: M	Max. Occ.: 9999	SEQ-SG5-SG7
Group:	SG7	Status: R	Max. Occ.: 9999	LIN-PIA-IMD-ALI-FTX-SG8-SG9-SG11
Segment:	FTX	cons. No65 Status: C	Level: 3 Max. Occ.: 1	FlexibleField10

Description: FTX

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
FTX		C	C	FTX	
4451	Text subject qualifier	M an..3	M an..3	+F10	F10; Flexible-Field 10
4453	Text function, coded		N	+	
C107	Text reference	C	C		
4441	Free text identification	M an..17	M an..17	+	
C108	Text literal	C	C		
4440	Free text	M an..70	M an..50	+FlexibleField10'	Content of flexible field 10

Comments:

Code values:

FTX+F10+++FlexibleField10'

Formal description of segments

Group:	SG4	Status: M	Max. Occ.: 9999	SEQ-SG5-SG7
Group:	SG7	Status: R	Max. Occ.: 9999	LIN-PIA-IMD-ALI-FTX-SG8-SG9-SG11
Segment:	FTX	cons. No66 Status: C	Level: 3 Max. Occ.: 1	FlexibleField11

Description: FTX

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
FTX		C	C	FTX	
4451	Text subject qualifier	M an..3	M an..3	+F11	F11; Flexible-Field 11
4453	Text function, coded		N	+	
C107	Text reference	C	C		
4441	Free text identification	M an..17	M an..17	+	
C108	Text literal	C	C		
4440	Free text	M an..70	M an..50	+FlexibleField11'	Content of flexible field 11

Comments:

Code values:

FTX+F11+++FlexibleField11'

Formal description of segments

Group:	SG4	Status: M	Max. Occ.: 9999	SEQ-SG5-SG7
Group:	SG7	Status: R	Max. Occ.: 9999	LIN-PIA-IMD-ALI-FTX-SG8-SG9-SG11
Segment:	FTX	cons. No67 Status: C	Level: 3 Max. Occ.: 1	FlexibleField12

Description: FTX

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
FTX		C	C	FTX	
4451	Text subject qualifier	M an..3	M an..3	+F12	F12; Flexible-Field 12
4453	Text function, coded		N	+	
C107	Text reference	C	C		
4441	Free text identification	M an..17	M an..17	+	
C108	Text literal	C	C		
4440	Free text	M an..70	M an..50	+FlexibleField12'	Content of flexible field 12

Comments:

Code values:

FTX+F12+++FlexibleField12'

Formal description of segments

Group:	SG4	Status: M	Max. Occ.: 9999	SEQ-SG5-SG7
Group:	SG7	Status: R	Max. Occ.: 9999	LIN-PIA-IMD-ALI-FTX-SG8-SG9-SG11
Segment:	FTX	cons. No68 Status: C	Level: 3 Max. Occ.: 5	Free text

Description: FTX

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
FTX		C	C		
4451	Text subject qualifier	M an..3	M an..3	+TDT	
4453	Text function, coded	C an..3	C an..3	+	
C107	Text reference	C	C		
4441	Free text identification	M an..17	M an..17	+	
C108	Text literal	C	C		
4440	Free text	M an..70	M an...17	+20'	Transport Mode Code

Comments:

Allowed values are defined in SCM application.

10 See

20 Railway

30 Street

40 Air

Only the code (10, 20, 30) is transmitted via Edifact.

Code values:

FTX+TDT+++20'

Formal description of segments

Group:	SG4	Status: M	Max. Occ.: 9999	SEQ-SG5-SG7
Group:	SG7	Status: R	Max. Occ.: 9999	LIN-PIA-IMD-ALI-FTX-SG8-SG9-SG11
Segment:	FTX	cons. No69 Status: C	Level: 3 Max. Occ.: 1	Document Link 1

Description: FTX

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
FTX		C	C	FTX	
4451	Text subject qualifier	M an..3	M an..3	+FL1	FL1 LinkText 1
4453	Text function, coded	C an..3	C an..3	+	
C107	Text reference	C	C		
4441	Free text identification	M an..17	M an..17	+	
C108	Text literal	C	C		
4440	Free text	M an..70	M an..250	+http?:// www. supplyon. com/ documente /link1.pdf	Content of Link 1

Comments:

Code values:

FTX+FL1+ ++http?://www.supplyon.com/documente/link1.pdf

Formal description of segments

Group:	SG4	Status: M	Max. Occ.: 9999	SEQ-SG5-SG7
Group:	SG7	Status: R	Max. Occ.: 9999	LIN-PIA-IMD-ALI-FTX-SG8-SG9-SG11
Segment:	FTX	cons. No70 Status: C	Level: 3 Max. Occ.: 1	Document Link 2

Description: FTX

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
FTX		C	C	FTX	
4451	Text subject qualifier	M an..3	M an..3	+FL2	FL2 LinkText 2
4453	Text function, coded	C an..3	C an..3	+	
C107	Text reference	C	C		
4441	Free text identification	M an..17	M an..17	+	
C108	Text literal	C	C		
4440	Free text	M an..70	M an..250	+http?:// www. supplyon. com/ documente /link2.pdf	Content of Link 2

Comments:

Code values:

FTX+FL2+ ++http?://www.supplyon.com/documente/link2.pdf

Formal description of segments

Group:	SG4	Status: M	Max. Occ.: 9999	SEQ-SG5-SG7
Group:	SG7	Status: R	Max. Occ.: 9999	LIN-PIA-IMD-ALI-FTX-SG8-SG9-SG11
Segment:	FTX	cons. No71 Status: C	Level: 3 Max. Occ.: 1	Document Link 3

Description: FTX

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
FTX		C	C	FTX	
4451	Text subject qualifier	M an..3	M an..3	+FL3	FL3 LinkText 3
4453	Text function, coded	C an..3	C an..3	+	
C107	Text reference	C	C		
4441	Free text identification	M an..17	M an..17	+	
C108	Text literal	C	C		
4440	Free text	M an..70	M an..250	+http?:// www. supplyon. com/ documente /link3.pdf	Content of Link 3

Comments:

Code values:

FTX+FL3+ ++http?://www.supplyon.com/documente/link3.pdf

Formal description of segments

Group:	SG4	Status: M	Max. Occ.: 9999	SEQ-SG5-SG7
Group:	SG7	Status: R	Max. Occ.: 9999	LIN-PIA-IMD-ALI-FTX-SG8-SG9-SG11
Group:	SG8	Status: C	Max. Occ.: 1	RFF DTM Order number
Segment:	RFF	cons. No72 Status: M	Level: 3 Max. Occ.: 1	Reference

Description: RFF

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
RFF		M	M		
C506	Reference	M	M		
1153	Reference qualifier	M an..3	M an..3	+ON	ON Order number (purchase)
1154	Reference number	C an..35	R an..12	:11111	Order number
1156	Line number	C an..6	C an..6	:000010'	Order position

Comments:

Code values:

RFF+ON:11111:000010'

Formal description of segments

Group:	SG4	Status: M	Max. Occ.: 9999	SEQ-SG5-SG7
Group:	SG7	Status: R	Max. Occ.: 9999	LIN-PIA-IMD-ALI-FTX-SG8-SG9-SG11
Group:	SG8	Status: C	Max. Occ.: 1	RFF Number of KANBAN within Loop
Required for ICH Kanban process				
Segment:	RFF	cons. No73 Status: M	Level: 3 Max. Occ.: 1	Reference

Description: RFF

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
RFF		M	M		
C506	Reference	M	M		
1153	Reference qualifier	M an..3	M an..3	+ZZ1	ZZ1 Number of KANBAN within Loop
1154	Reference number	C an..35	R an..10	:11111'	

Comments:

Code values:

RFF+ZZ1:11111'

Formal description of segments

Group:	SG4	Status: M	Max. Occ.: 9999	SEQ-SG5-SG7
Group:	SG7	Status: R	Max. Occ.: 9999	LIN-PIA-IMD-ALI-FTX-SG8-SG9-SG11
Group:	SG8	Status: D	Max. Occ.: 1	RFF Control Cycle ID
		Required for Kanban process		
Segment:	RFF	cons. No74 Status: M	Level: 3 Max. Occ.: 1	Reference

Description: RFF

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
RFF		M	M		
C506	Reference	M	M		
1153	Reference qualifier	M an..3	M an..3	+ZZ2	ZZ2 Control Cycle
1154	Reference number	C an..35	R an..15	:11111'	

Comments:

Code values:

RFF+ZZ2:11111'

Formal description of segments

Group:	SG4	Status: M	Max. Occ.: 9999	SEQ-SG5-SG7
Group:	SG7	Status: R	Max. Occ.: 9999	LIN-PIA-IMD-ALI-FTX-SG8-SG9-SG11
Group:	SG9	Status: M	Max. Occ.: 1	LOC Place/Port of discharge
Segment:	LOC	cons. No75 Status: M	Level: 3 Max. Occ.: 1	Place/location identification

Description: LOC

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
LOC		M	M		
3227	Place/location qualifier	M an..3	M an..3	+11	11 Dock
C517	Location identification	C	R		
3225	Place/location identification	C an..25	R an..20	+CodeLocation	Unloading point
1131	Code list qualifier	C an..3	C an..3	:	
3055	Code list responsible agency, coded	C an..3	C an..3	:	
3224	Place/location	C an..70	C an..35	:Bretten'	

Comments:

Code values:

LOC+11+CodeLocation:::Bretten'

Formal description of segments

Group:	SG4	Status: M	Max. Occ.: 9999	SEQ-SG5-SG7
Group:	SG7	Status: R	Max. Occ.: 9999	LIN-PIA-IMD-ALI-FTX-SG8-SG9-SG11
Group:	SG9	Status: C	Max. Occ.: 1	LOC Additional internal destination
Segment:	LOC	cons. No76 Status: M	Level: 3 Max. Occ.: 1	Place/location identification

Description: LOC

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
LOC		M	M		
3227	Place/location qualifier	M an..3	M an..3	+159	159 Additional internal destination
C517	Location identification	C	R		
3225	Place/location identification	C an..25	R an..20	+Bretten'	

Comments:

Code values:

LOC+159+Bretten'

Formal description of segments

Group:	SG4	Status: M	Max. Occ.: 9999	SEQ-SG5-SG7
Group:	SG7	Status: R	Max. Occ.: 9999	LIN-PIA-IMD-ALI-FTX-SG8-SG9-SG11
Group:	SG11	Status: R	Max. Occ.: 100	Delivery quantity
Segment:	QTY	cons. No77 Status: M	Level: 3 Max. Occ.: 1	Quantity

Description: QTY

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
QTY		M	M		
C186	Quantity details	M	M		
6063	Quantity qualifier	M an..3	M an..3	+131	131 Delivery quantity
6060	Quantity	M n..15	M n..17	:8000	
6411	Measure unit qualifier	C an..3	C an..3	:PCE'	

Comments:

Code values:

QTY+131:8000:PCE'

Formal description of segments

Group:	SG4	Status: M	Max. Occ.: 9999	SEQ-SG5-SG7
Group:	SG7	Status: R	Max. Occ.: 9999	LIN-PIA-IMD-ALI-FTX-SG8-SG9-SG11
Group:	SG11	Status: R	Max. Occ.: 100	Delivery quantity
Segment:	DTM	cons. No78 Status: C	Level: 4 Max. Occ.: 1	Delivery Date/time, requested

Description: DTM

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
DTM		C	C		
C507	Date/time/period	M	M		
2005	Date/time/period qualifier	M an..3	M an..3	+2	2 Delivery date/time, requested
2380	Date/time/period	C an..35	C an..35	: 201109301 758	
2379	Date/time/period format qualifier	C an..3	C an..3	:203'	
					203 102 CCYYMMDDHHMM CCYYMMDD

Comments:

At least one delivery- or pickup date is mandatory on header or position

Code values:

DTM+2:201109301758:203'

Formal description of segments

Group:	SG4	Status: M	Max. Occ.: 9999	SEQ-SG5-SG7
Group:	SG7	Status: R	Max. Occ.: 9999	LIN-PIA-IMD-ALI-FTX-SG8-SG9-SG11
Group:	SG11	Status: R	Max. Occ.: 100	Delivery quantity
Segment:	DTM	cons. No79 Status: C	Level: 4 Max. Occ.: 1	Date/Time First at Destination

Description: DTM

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
DTM		C	C		
C507	Date/time/period	M	M		
2005	Date/time/period qualifier	M an..3	M an..3	+117	117 Delivery date/time, first
2380	Date/time/period	C an..35	R an..14	:20110928	
2379	Date/time/period format qualifier	C an..3	R an..3	:102'	203 CCYYMMDDHHMM 102 CCYYMMDD

Comments:

At least one delivery- or pickup date is mandatory on header or position

Code values:

DTM+117:20110928:102'

Formal description of segments

Group:	SG4	Status: M	Max. Occ.: 9999	SEQ-SG5-SG7
Group:	SG7	Status: R	Max. Occ.: 9999	LIN-PIA-IMD-ALI-FTX-SG8-SG9-SG11
Group:	SG11	Status: R	Max. Occ.: 100	Delivery quantity
Segment:	DTM	cons. No80 Status: C	Level: 4 Max. Occ.: 1	Date/Time Last at Destination

Description: DTM

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
DTM		C	C		
C507	Date/time/period	M	M		
2005	Date/time/period qualifier	M an..3	M an..3	+128	128 Delivery date/time, last
2380	Date/time/period	C an..35	R an..14	:20110930	
2379	Date/time/period format qualifier	C an..3	R an..3	:102'	203 CCYYMMDDHHMM 102 CCYYMMDD

Comments:

At least one delivery- or pickup date is mandatory on header or position

Code values:

DTM+128:20110930:102'

Formal description of segments

Group:	SG4	Status: M	Max. Occ.: 9999	SEQ-SG5-SG7
Group:	SG7	Status: R	Max. Occ.: 9999	LIN-PIA-IMD-ALI-FTX-SG8-SG9-SG11
Group:	SG11	Status: R	Max. Occ.: 100	Delivery quantity
Segment:	DTM	cons. No81 Status: C	Level: 4 Max. Occ.: 1	Collection Date/Time, earliest

Description: DTM

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
DTM		C	C		
C507	Date/time/period	M	M		
2005	Date/time/period qualifier	M an..3	M an..3	+234	234 Collection date/time, earliest
2380	Date/time/period	C an..35	R an..14	:20110928	
2379	Date/time/period format qualifier	C an..3	R an..3	:102'	203 CCYYMMDDHHMM 102 CCYYMMDD

Comments:

At least one delivery- or pickup date is mandatory on header or position

Code values:

DTM+234:20110928:102'

Formal description of segments

Group:	SG4	Status: M	Max. Occ.: 9999	SEQ-SG5-SG7
Group:	SG7	Status: R	Max. Occ.: 9999	LIN-PIA-IMD-ALI-FTX-SG8-SG9-SG11
Group:	SG11	Status: R	Max. Occ.: 100	Delivery quantity
Segment:	DTM	cons. No82 Status: C	Level: 4 Max. Occ.: 1	Collection Date/Time, latest

Description: DTM

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
DTM		C	C		
C507	Date/time/period	M	M		
2005	Date/time/period qualifier	M an..3	M an..3	+235	235 Collection date/time, latest
2380	Date/time/period	C an..35	R an..14	:20110930	
2379	Date/time/period format qualifier	C an..3	R an..3	:102'	203 CCYYMMDDHHMM 102 CCYYMMDD

Comments:

At least one delivery- or pickup date is mandatory on header or position

Code values:

DTM+235:20110930:102'

Formal description of segments

Group:	SG4	Status: M	Max. Occ.: 9999	SEQ-SG5-SG7
Group:	SG7	Status: R	Max. Occ.: 9999	LIN-PIA-IMD-ALI-FTX-SG8-SG9-SG11
Group:	SG11	Status: R	Max. Occ.: 100	Delivery quantity
Group:	SG12	Status: C	Max. Occ.: 1	Handling unit routing
Segment:	RFF	cons. No83 Status: M	Level: 4 Max. Occ.: 1	Reference

Description: RFF

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
RFF		M	M		
C506	Reference	M	M		
1153	Reference qualifier	M an..3	M an..3	+AMU	AMU Integrated logistic support cross reference number
1154	Reference number	C an..35	R an..35	:111111'	Routing code

Comments:

Code values:

RFF+AMU:111111'

Formal description of segments

Group:	SG4	Status: M	Max. Occ.: 9999	SEQ-SG5-SG7
Group:	SG7	Status: R	Max. Occ.: 9999	LIN-PIA-IMD-ALI-FTX-SG8-SG9-SG11
Group:	SG11	Status: R	Max. Occ.: 100	Delivery quantity
Group:	SG12	Status: C	Max. Occ.: 5	RFF
Segment:	RFF	cons. No84 Status: M	Level: 4 Max. Occ.: 1	Reference

Description: RFF

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
RFF		M	M		
C506	Reference	M	M		
1153	Reference qualifier	M an..3	O an...6	+ZZZ	FunctionCode
1154	Reference number	C an..35	O an...6	:191'	FunctionCode

Comments:

Code values:

RFF+ZZZ:191'

Formal description of segments

Group:	SG4	Status: M	Max. Occ.: 9999	SEQ-SG5-SG7
Group:	SG7	Status: R	Max. Occ.: 9999	LIN-PIA-IMD-ALI-FTX-SG8-SG9-SG11
Group:	SG11	Status: R	Max. Occ.: 100	Delivery quantity
Group:	SG12	Status: C	Max. Occ.: 1	Buyer's package identification number
Segment:	RFF	cons. No85 Status: C	Level: 4 Max. Occ.: 1	Reference

Description: RFF

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
RFF		M	C		
C506	Reference	M	M		
1153	Reference qualifier	M an..3	M an..3	+CW	CW Package number
1154	Reference number	C an..35	M an..10	:111111'	Kanban ID

Comments:

Code values:

RFF+CW:111111'

Formal description of segments

Group:	SG4	Status: M	Max. Occ.: 9999	SEQ-SG5-SG7
Group:	SG7	Status: R	Max. Occ.: 9999	LIN-PIA-IMD-ALI-FTX-SG8-SG9-SG11
Group:	SG11	Status: R	Max. Occ.: 100	Delivery quantity
Group:	SG12	Status: C	Max. Occ.: 1	Buyer's package identification number
Segment:	RFF	cons. No86 Status: C	Level: 4 Max. Occ.: 1	Reference

Description: RFF

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
RFF		M	C		
C506	Reference	M	M		
1153	Reference qualifier	M an..3	M an..3	+AAN	AAN Delivery schedule number
1154	Reference number	C an..35	M an..10	:111111	JitCall Number
1156	Line number	C an..6	M an..4	:001'	JitCall Position

Comments:

Code values:

RFF+AAN:111111:001'

Formal description of segments

Group:	SG4	Status: M	Max. Occ.: 9999	SEQ-SG5-SG7
Group:	SG7	Status: R	Max. Occ.: 9999	LIN-PIA-IMD-ALI-FTX-SG8-SG9-SG11
Group:	SG11	Status: C	Max. Occ.: 1	Quantity per pack
Segment:	QTY	cons. No87 Status: M	Level: 3 Max. Occ.: 1	Quantity

Description: QTY

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
QTY		M	M		
C186	Quantity details	M	M		
6063	Quantity qualifier	M an..3	M an..3	+52	52 Quantity per pack
6060	Quantity	M n..15	M n..17	:2000	
6411	Measure unit qualifier	C an..3	C an..3	:PCE'	

Comments:

Code values:

QTY+52:2000:PCE'

Formal description of segments

Segment: **UNT** cons. No88 Level: 0 **Message trailer**
Status: M Max. Occ.: 1

Description: UNT

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
UNT		M	M		
0074	Number of segments in the message	M n..6	M n..6	+98	Specifies the total number of segments of a message.
0062	Message reference number	M an..14	M an..14	+00000000 1'	Repetition of the reference number from segment UNH_0062.

Comments:

Code values:

UNT+98+000000001'

Formal description of segments

Segment: **UNZ** cons. No89 Level: 0 **Interchange trailer**
 Status: M Max. Occ.: 1

Description: UNZ

EDIFACT DELJIT D98.B					
Seg.	Description	St Format EDIFACT	St Format SupplyOn	Example	Remark
UNZ		M	M		
0036	Interchange control count	M n..6	M n..6	+1	Specifies the number of messages in the transmission file.
0020	Interchange control reference	M an..14	M an..14	+00000000 000012'	Repetition of the data interchange reference from segment UNB_0020.

Comments:

Code values:

UNZ+1+00000000000012'